

This issue contains the JANUARY INDEX

# CURRENT LIST of MEDICAL LITERATURE

Vol. 14

January 30, 1948

No. 4-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY

Washington, D. C.

The **CURRENT LIST OF MEDICAL LITERATURE** is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price: \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the **ARMY MEDICAL LIBRARY** 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists all articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

# EDITOR'S NOTE

The subject headings used in the indexes to the CURRENT LIST OF MEDICAL LITERATURE follow, in the main, the form of those established by the QUARTERLY CUMULATIVE INDEX MEDICUS, published by the American Medical Association, Chicago, Illinois.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. Users of these indexes are referred to the QUARTERLY CUMULATIVE INDEX MEDICUS for the necessary cross references to any desired subject.

In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the subdivisions so abbreviated, together with the abbreviations adopted for them, appears below:

abnormalities - abnorm.	hygiene and sanitation - hyg. & san.
acute conditions - acute cond.	immunity - immun.
accommodation and refraction - accomm. & refrac.	in gynecology and obstetrics - in gyn. & obst.
addiction - addict.	in infants and children - in inf. & child.
administration and dosage - admin. & dos.	industrial and traumatic - indust. & traumat.
administration and organization - admin. & org.	inflammation - inflamm.
anatomy and histology - anat. & histol.	injuries - inj.
artificial pneumothorax in - artif.	innervation - innerv.
pneumothorax in	loose bodies in - loose bod. in
bacteriology - bacteriol.	manufacture - manuf.
cancer - can.	medicine and surgery - med. & surg.
chemistry - chem.	metabolism - metab.
complications and sequels - compl. & seq.	metabolism in - metab. in
congenital - congen.	morphology - morphol.
deformities - deform.	mortality - mortal.
degeneration and regeneration - degen. & regen.	pathology - pathol.
determination - determ.	perforation - perf.
diagnosis - diag.	physical-mental relationships - phys.-ment. relationships
diseases - dis.	physiologic and pathologic effects - physiol. & pathol. eff.
diseases and poisoning - dis. & pois.	physiology - physiol.
dislocations - disloc.	postoperative care - postop. care
economic and social aspects - econ. & soc. aspects	postoperative complications - postop. compl.
education and training - educ. & train.	preoperative care - preop. care
effects - eff.	preoperative complications - preop. compl.
embryology - embryol.	preparation - prep.
epidemiology and statistics - epidemiol. & statist.	prevention - prev.
etiology and pathogenesis - etiol. & pathogen.	production - prod.
examination - exam.	prognosis - progn.
excision - excis.	psychology - psychol.
experimental - exper.	psychologic and psychiatric aspects - psychol. & psychiat. aspects
foreign bodies - for. bod.	regeneration - regen.
group hospitalization insurance - group hosp. insur.	roentgenography - roent.
hemorrhage - hemorrh.	standardization - standard.
heredity - hered.	surgery - surg.
history - hist.	surgical therapy - surgical ther.
hygiene - hyg.	therapy - ther.
hygiene and health - hyg. & health	toxicity - tox.
	transmission - trans.
	tumors - tum.
	wounds and injuries - wds. & inj.



# CURRENT LIST OF MEDICAL LITERATURE

## SUBJECT INDEX

Vol. 14, Nos. 1-4 (pp. 1-216)

January 30, 1948

- ABDOMEN, acute cond.,30b,35p,108v,165v; diag.,38b; dis.,102p; drainage,201b; pain,93g; paracentesis, 47v; pressure in,112k; surg.,441,j,97u,103g,124u; tum.,73a,104i; wds. & inj.,33e
- ABNORMALITIES AND DEFORMITIES, 20b,67o,125g, 127t,129f,160b,164d,212k
- ABORTION, 43i; compl. & seq.,27-1,104e,137a,138d, 149d; criminal,137b; etiol. & pathogen.,109h; infectious,80q; prev.,76k; statist.,30i; tubal,103f
- ABSCCESS, paracholecystic,41s; perirectal,143m; retrorectal,44t; ther.,139t
- ACACIA, 186g; tox.,26i
- ACADEMY OF MEDICAL SCIENCES, U.S.S.R.,92j
- ACANTHOSIS, nigricans,189d
- ACCIDENTS, 33g,51r; motorcycle,163-l; prev.,216w; psychol. aspects,122-l
- ACETALDEHYDE, 82j
- ACETONE, determ.,12v
- ACETYLLATION, 120c
- ACETYLENE, derivatives,205h
- ACID, 58h,193r; adenylypyrophosphoric,154j; alginic, 68a; aminobenzoic,19gh,189e,193n; atropic,185o; benzoylpyruvic,53a,54o; bromoacetic,181r,s; cholic, 83k; chloroacetic,189b; cinnamic,55f; dehydro- diisynolic,9c; folic,32g,40r,45f,77n,136m,182k,m, 201t; glucuronic,185i,198f; glutamic,67p; glycerophosphoric,216b; hippuric,32k; hydrocyanic,155a; iodoacetic,69p,162b,194c; indolacetic,54g; keto-acid, 13i; lactic,9m,182a; lithocholic,83k; malic,54d; malonic,8-l; neobiotic,185g; nucleic,56n,154n; phenylcinnamic,185m; phenylisovaleric,185j; prod., 155i; pterole,183-l,m; pteroylglutamic,172t,173d, 183-l,m,n; pyruvic,54d,182a; stearic,132n,o; suc- cinic,55r,132i; tropic,185o; valeric,185s
- ACID-BASE EQUILIBRIUM, regulation,99-l,m
- ACNE, psychol. asp.,135-l; ther.,51g
- ACOUSTICS, 159o
- ACRIDINE DYES, 132p,214o,u; tox.,94g
- ACRODERMATITIS, 17e
- ACROLEIN, 184q
- ACROMEGALY, 204v
- ACRYLONITRILES, 207p
- ACTINOMYCES, 53m
- ACTINOMYCOSIS, compl. & seq.,50f; in cattle,202t; meningel,116m; oral,86g; ther.,44d
- ADEPS LANA, 215n
- ADDISON'S DISEASE, 91e,99h,105e,206a; heart in, 195d; metab.,23k; ther.,148a
- ADENOIDS, excis.,38e
- ADENYLPIROPHOSPHATASE, 54t
- ADHESIVE PLASTER, 189p
- ADOLESCENCE, 67a,b; dis.,66w; precocious puberty, 8u; psychol.,157k
- ADRENAL PREPARATIONS, 28p,83g; chem.,215-l; eff., 4j,k,54g,81p,94p,109d,114-l,146g,155k; ther.,92n, 105e,148a; tox.,30p,119c,139a
- ADRENALS, 129k; cysts,45m; dis.,112a,212p; excis., 102w,155k; hemorrh.,104r; physiol.,5-l,18-o,118b, 132j; transplant.,9e; tum.,40f; wds. & inj.,112a
- ADSORPTION, 154u,186e
- ADVERTISING, 68c
- AEROSOLS, 56w,119a,149c; ther.,198h
- AGASSIZ, LOUIS, 59d
- AGE, 3e,4q,6i,138-l
- AGGRESSION, 70w
- AGRICULTURE, in Belgian Congo,77f
- AGRIMONIA, 162v
- AIR, biol.,114p; impurities,12u,21u; pressure,10f, 110f,196i
- AIR UNIVERSITY LIBRARY, 59b
- ALBUMIN, 7m
- ALBUMINURIA, 21v,108j; orthostatic,100t
- ALCOHOL, eff.,141f; metab.,22-l; refractive index, 62w; tolerance,130e
- ALCOHOLISM, 22m,o,103m,144w; soc. aspects,22m,n; ther.,37c,113q
- ALCOHOLS, aliphatic,4r; hexahydric,119n,r; second- ary,83h
- ALDEHYDES, 82j
- ALGAE, 53v,56g,207e
- ALKALOIDS, eff.,141a
- ALKANES, 207m
- ALLOMYCES, 207e
- ALLOPREGNANE, 83f
- ALLOPREGNANTETROLE, 82e
- ALLOPREGNANTRIOLE, 82e
- ALLOXAN, 3c,58h
- ALOIN, 120h
- ALOPECIA, areata,35v
- ALTITUDE, high,2r,2s,31s,92f,109v,110d,h
- ALUMINUM AND ALUMINUM COMPOUNDS, oxide, 82-l; sulfate,82-l; tox.,53n
- AMBLYOSTOMA, 207c
- AMEBIASIS, 25u,189s; diag.,18s,214i; in Ceylon,35u; in Evanston, Ill.,136a; ther.,100o,106j
- AMENORRHEA, ther.,30u
- AMERICAN ACADEMY OF GENERAL PRACTICE, 144h
- AMERICAN ASSOCIATION FOR THORACIC SURGERY, 127g
- AMERICAN BOARD OF OPHTHALMOLOGY, 65h
- AMERICAN GASTROENTEROLOGICAL ASSOCIATION, 135u
- AMERICAN MEDICAL ASSOCIATION, 191f
- AMIDES, 133c; spectroscopy,132d
- AMIDONE, 183v
- AMINES, 60i,130b,184d,208a
- AMINO ACIDS, 180u,184i; eff.,1,v,4s; in diet,5s,28q, 37v,173u; in plants,57u; metab.,98n
- AMINOPHYLLINE, 102v
- AMINOPYRINE, ther.,91t
- AMMONIA AND AMMONIUM COMPOUNDS, 216i; det.,84-l; eff.,99i; quaternary,216-l; tetraethyl- ammonium ions,100c; tox.,21s
- AMNION, 102s; dropsy of,137-l
- AMNIOTIC FLUID, 80u
- AMPHETAMINE, tox.,114e
- AMPULES, 149o
- AMPUTATION, 2h,73t,125m; compl. & seq.,80d
- AMPUTATION-STUMPS, pain,106o
- AMUSIA, 159i
- AMYLASE, 114t,135d,155f
- AMYLOIDOSIS, 116h; blood in,99t; in Chile,129n
- AMYLOPECTIN, 114t,u
- ANALGESICS, 156s
- ANAPHYLAXIS AND ALLERGY, 25h,29a,40j,45w,65b, 171b,189h,199u; compl. & seq.,83w; diag.,21k; epidemiol. & statist.,119a; etiol. & pathogen.,17i,

- 31g,39v,184c; manifestations,32m,76-1,158m,159e, 189t,195b; pathol.,118v; serum & vaccine,67n,178s; ther.,24e,46g,67u,108s,109n,162p,205f
- ANATOMY**, 104a; hist.,149e; teaching,33p
- ANDROGENS**, eff.,2j,4i,211g; ther.,88e,96r,108f,137p
- ANEMIA**, aplastic,63c; compl. & seq.,77k,138u; diag., 40v; erythroblastic,25b,109-1; etiol. & pathogen., 39m,109b,201b; hemolytic,32f,i,42f,67n,160i; hypo- chromic,195-1; ther.,34k,40v,46g,109h,143k,144n
- ANEMIA, PERNICIOUS**, 24b,f,37p,88v,203r,206a; compl. & seq.,141r; etiol. & pathogen.,195e; ther., 32g
- ANESTHESIA**, 30d,37c,43e,96i; alcohol,4r; ametho- caine,68h; anoci-association,16s; barbital & barbital deriv.,74u,106s,120a,158d,169h; blood in,125c chloroform,161s; choice of,97u,106d; cinchocaine,68h; conduction,126b,c,191s,199p; ether,124v,162g; in dentistry,15g,16a,q,s,74u,84p,124v,133j,p; in gynecology & obstetrics,95d,111p,117g,124u,137h, 158e,161s,191s,199v,w; in psychotherapy,126s; in- tratracheal,281,80-1,158t; local & regional,50v,139t, 149q,184r; methods,126v; metopryl,124w; myanes- in,36d,199h; nitrous oxide,13u,124v,134d; procaine & procaine cpds.,68h,215o; propanolamine,184r; research,43m,98e; spinal,38o,62g,76b,124u,v,199p, 201k; trichloroethylene,80r
- ANESTHESIA STUDY COMMISSION**, 98e
- ANEURYSM**, aortic,24q,78a,114c,213g; cardiac,28o; cerebral,34q,166g,167r; innominate,75q; max- illary,50u; ther.,44j; vertebral,167r
- ANGINA**, Ludwig's,133h,135h
- ANGINA PECTORIS**, 113e; compl. & seq.,143b; in inf. & child.,108r; ther.,31o,199d,g
- ANGIOKERATOMA**, 91a
- ANHYDRASE**, 157d
- 2,5-ANHIDRO-L-IDITOL**, 184t
- ANIMAL HUSBANDRY**, in Palestine,80p
- ANIMALS**, dis.,1751c; experimentation,11,6o,27a,51r, 54c,55a,59f,68d,85w,130v; tagging devices,60n
- ANTARCTIC REGION**, 36g
- ANTHRACENE**, derivatives,55e
- ANTHRAX**, etiol. & pathogen.,33i
- ANTHROPOLOGY**, 11d,e,f,j,k,12c,196p; hist.,83v
- ANTIBIOTICS**, 16-1,21m,34n,67u,98n,97u,105v,133n, 134a,141o,162n; ther.,160h
- ANTICOAGULANTS**, 201r
- ANTIGENS AND ANTIBODIES**, 4o,q,54s,109g,118b, 185h,205p; classification,76s; formation,180m, 181n
- ANTIMALARIALS**, 185r
- ANTIMONY AND ANTIMONY COMPOUNDS**, trisulfide, 21u
- ANTIPYRINE**, eff.,205f
- ANTISEPSIS AND ANTISEPTICS**, 60g,68u,209a; hist., 51-1
- ANTISTINE**, 158i
- ANTITHYROIDIN**, eff.,3r
- ANTRUM**, cancer,16f; dis.,139e,161g
- ANUS**, surg.,18p
- ANXIETY**, 110p
- AORTA**, abnorm.,33w,66t; insufficiency,108r; perfora- tion,76d; size,109p,q; syphilis,128g; ulcers,195f
- AORTIC VALVE**, insufficiency,114c
- AORTITIS**, 108a
- APERIENTS**, 45t
- APHASIA**, 101j; diag.,159m
- APNEA**, 55r,214-1
- APPENDECTOMY**, 72u; compl. & seq.,73m,76f; mortal.,125j
- APPENDICITIS**, 43n,73f,g,i; acute,73g,124o; compl. & seq.,73h,165o; diag.,105j; hist.,148k; pathol.,92w; pregnancy & appendicitis,137-1
- APPENDIX**, dis.,74k; hernia,47b
- APPETITE**, 135r; disorders,213h
- APRAXIA**, 144v
- ARABAN**, 132a
- ARABINOSIS**, 26i
- ARACHNODACTYLIA**, 67m
- ARACHNOID**, 157j; inflamm.,109m
- ARBUSUS**, 53w
- ARCTIC REGION**, 114p
- ARGON**, 186d
- ARMED FORCES PERSONNEL**, 150n,o,p,153u; women 1n,61f
- ARMIES**, 57v
- ARMS**, 168t; neurovascular syndrome,166u; pain,27n
- ARMY INSTITUTE OF PATHOLOGY**, 29i
- ARRHYTHMIA**, 32a; asystoles,106k; paroxysmal,31m; ventricular fibrillation,28n
- ARSENIC AND ARSENIC COMPOUNDS**, tox.,149-1, 211c
- ART**, 61c
- ARTEFACTS**, 6q
- ARTERIES**, 147g; cerebellar,46p; dis.,75r; iliac,48p; inflamm.,90s,91a,93w,124q; pulmonary,31u,65o,r, 66t,99f,107a; renal,11g; splenic,26s; syphilis,34q, 65r; temporal,42f,91a,141r,195h
- ARTERIOSCLEROSIS**, 20v; aortic,195f; cerebral, 144v; compl. & seq.,20t; metab. in,26j
- ARTHRITIS**, 12-1,47a; acute suppurative,12k; compl. & seq.,44c; diag.,12g,h,44b,144t,195b; etiol. & pathogen.,90v,104-1; hist.,12g; infectious,12k; streptococcus,137r; ther.,12m,n,o,p,q,104-1,199b, 206m; tuberculous,12j
- ARTHRITIS, RHEUMATOID**, 121,47a,157m; blood in, 195j; in inf. & child.,66h,93v; ther.,121,113f,195m
- ARTHROPODS**, 17d,163c
- ASCITES**, 171p
- ASARUM**, 89o
- ASCARIASIS**, 146n; in India,93g
- ASCORBIC ACID**, 69t,87-1,n,r,94n; determ.,129k; in blood,84k,155k,172d,173c; in urine,155k
- ASPERGILLOSIS**, 159e
- ASPHYXIA**, epidemol. & statist.,145k; etiol. & patho- gen.,212e; neonatorum,35f,43r,94h
- ASSOCIATION OF AMERICAN MEDICAL COLLEGES**, 98v
- ASTHENIA**, neurocirculatory,92m
- ASTHMA**, 23t,24c,28a,39o,195g; blood in,20u; diag., 93k; etiol. & pathogen,40j; ther.,26f,31s,45r,93k, 118u,119b,139i,197b
- ASTIGMATISM**, diag.,56e,209r
- ASTRINGENTS**, 121u
- ATABRINE**, tox.,155t
- ATAxia**, cerebellar,200f
- ATLAS AND AXIS**, wds. & inj.,21g
- ATMOSPHERE**, 122i
- ATOMIC ENERGY**, 50o,114k,164g,206s,207i; medical applications,56m,138s,144p; research,59e
- ATROPHY**, muscular,66j,k,99h
- ATROPINE**, eff.,121a,211m,n,o,q
- AUSCULTATION**, 35p
- AUTHORS**, 35n
- AUTISM**, 61i
- AUTOPSIES**, 48-1,175-1
- AVELLIS SYNDROME**, 158b
- AVIATION AND AVIATORS**, 122m,152r; med.,52e, 110a,c,d,e,g,113v,w,114a,150l,m,152p,153o; psychol. & psychiat. aspects,110b,d,f,122d,o,151u; physiol. & pathol. eff.,198i; surg.,153q; transportation of wounded & sick,110h,i,j,150j,k,152k,m,153f
- AVITELLINA**, 100i
- AZIDES**, 69i; eff.,69p
- AZO COMPOUNDS**, 55d
- BACILLIN**, production,178h
- BACKACHE**, 12j; etiol. & pathogen.,202j; ther.,44-1
- BACTEREMIA**, ther.,203b
- BACTERIA**, 114k; abortus & melitense group,76u,80k; acid-fast,178f; action,54d,154p; aerogenes capsula- tus,27-1; anaerobic,193f,p; antagonism,135v;



- cereus, 4n; clostridium, 130i; coli, 53h, 68f, 87o, 167k, 178b, 179f, 181n, 205h, j, 211f; corynebacteria, 80u; counting, 57g; culture, 129w, 130b, 130c; eff. of penicillin, 56n, 178a; enterococci, 169v; enzymes, 155f, 205e; exam., 114k; fusiformis, 120f; hemophilus, 69m; lactic acid group, 84j, 87h, 134g, 183h, i, j, k, l, m; luminous, 7h, i; metab., 177r; motility, 177s; mycoides, 92c; phytonomas, 178c; plectridium, 193s; pyocyaneus, 160g; pyretogenic, 182e; resistance, 198r; salmonicida, 176g; subtilis, 154p; sulpestifer, 80r; trans., 70p; typhoid group, 94t, 179f, 181n, 193-i; viability, 97u; vibrio, 193e
- BACTERIOLOGY**, hist., 29k
- BACTERIOLYSIS**, 182n
- BACTERIOPHAGE**, formation, 69n, o, p; lactic acid group, 193i; megatherium, 58e; staphylococcus, 69n; typhoid group, 154a
- BALANTIDIASIS**, 92p
- BALSAM**, extract, 215h
- BANDAGES**, 60n
- BARBITAL AND BARBITAL DERIVATIVES**, 10j, 198c; tox., 32s, 61j
- BARTHOLIN**, THOMAS, 149e
- BARTONELLA**, maris, 205k
- BATHTUBS**, 60a
- BEDFANS**, 39g
- BEHAVIOR**, 89h, 157e, 161j
- BELLADONNA**, eff. 109g; tox., 95f
- BELLIS**, 148j
- BENADRYL**, 121d; admin. & dos., 49i
- BENZENE**, 82p, 132m; derivatives, 54-i; tox., 91b, 110b, 146u
- BENZENE-1:4-DISULFONAMIDE**, 154t
- BENZENE HEXACHLORIDE**, 77q
- BENZIL**, 62i
- BENZOATES**, eff., 177r
- BENZOFURAN DERIVATIVES**, 55f
- BENZYL COMPOUNDS**, 132g
- BENZYLAMINES**, prep., 131m
- BENZYLLOG**, 84b
- BERIBERI**, compl. & seq., 112f
- BERYLLIUM**, nitrate, 7b
- BILOGRAPHY**, 142d
- BIGUANIDE DERIVATIVES**, 93f
- BILE**, acids, 162a; chem., 28v; secretion, 211r
- BILE DUCTS**, blood supply, 125o; calculi, 75w; can., 197-i; dis., 72t, 213g; occlusion, 148m; roent., 107j; surg., 44m, 46a, 125o; wds. & inj., 125o
- BILHARZIASIS**, ther., 100r
- BILIARY TRACT**, calculi, 164j; dis., 44f, 47n, 74j, 88a, 106r, 144k; distention, 166s; roent., 148w, 164o; surg., 28-l
- BIOLOGY**, teaching, 12c
- BIOLUMINESCENCE**, 69j
- BIOMETRY**, 179m, n, o, p, q, r, s, t, u, v, w, 180a, b, c, d
- BIOPHYSICS**, research, 59g
- BIOPSIES**, 46e, 47w
- BIOTIN**, 22r, 56n, 66q, 129f, 132v, 172t
- BLADDER**, 200q; abnorm., 100s, 196u; can., 29v, 200t; dis., 74-i, 170b; exam., 170f; for bod., 25a, 128b; roent., 170i; rupture, 30s; surg., 75i, 170d, i; wds. & inj., 127q
- BLASTOMASE**, 105n
- BLINDNESS**, 63j, 64h, 93u, 118p, q, 194f, 213k; etiol. & pathogen., 27i, 40e, 93u; prev., 210t
- BLOOD**, 96f, 195w; acetylcholine, 105p; alcohol, 180t; arsenic, 68p; calcium, 31p, 99p, 173-i; carbon dioxide, 53-i; carotene, 175a; catalase, 159p; cells, 2a, 10m; chemistry, 91o, 145i, 164f; chlorides, 42j; cholesterol, 112r, 213o; cholinesterase, 121i, 146c, 147h, 181a, 211d; circulation, 75f, 141g, 195j; citric acid, 91m; coagulation, 42h, 44c, 59j, 91o, 95j, 99r, 105w, 113a, 195h, 200a, k; colloids, 32e; count, 97-i; dialysis, 190a; esterase, 91k, o; estrogen, 10g; exam., 6o; fats & lipoids, 32i, 88d, 160d, 195e, 201u; fibrinogen, 42i; globulin, 112j; groups, 11e, 20e, 31h, 42j, 45f, 49o, 51p, 80b, 94f, 101g, 103s, 107e, 142k, 147n, 192f, h, 196p, 197u; hippuric acid, 100k; indican, 159r; iodine, 99g; iron, 32e; lysozyme, 182o; nitrogen, 27m, 109d; oxygen, 31p, 113c; parasites, 205m; penicillin, 59r; phosphatase, 172u, 213o; phosphorus, 173-i; picture, 2a, 32h; platelets, 20i, 100w; potassium, 57r, 93s; preservation, 162d; proteins, 41o, 18h, 25i, 32c, 42d, 51k, 57d, 66c, m, 99p, u, 102s, 107e, 108p, 180q, r, 184a, b, 213o; prothrombin, 24d, 42t, v, 100k; sedimentation, 20m, 109g, 195f; sodium, 57r; supply, 141f; trichloroethylene, 194b; uric acid, 141b; vitamins, 173n; water content, 159t
- BLOOD PRESSURE**, 9r, 118a; eff. of drugs on, 100c; high, 23-1, 28d, 29f, 40c, 43d, 44p, 47j, k, 100d, 103v, 105e, 106n, 112d, u, 115a, 118f, 139a, 142t, 145i, 166a, 169c, 195c, o, 197p, 202p; low, 43b, 105g
- BLOOD SUGAR**, 10k; determ., 92r; eff. of drugs on, 10j, 95f, 181; hypoglycemia, 20u, 61v; variations, 58h
- BLOOD TRANSFUSION**, 101v, 153g; compl. & seq., 80f; in animals, 175t; in surg., 29u; indications, 101w; technic, 151k, l, m, n, o, 201b
- BLOOD VESSELS**, anat. & histol., 6o; dis., 42s, 73t; roent., 49j, 164e; wds. & inj., 151i, j, k
- BODY**, weight, 1-i, 2a, u, 19g, 50v, 51k, 58m
- BOMBS**, ATOMIC, 50o
- BONES**, 85s; atrophy, 27a, 126k; cancer, 170r; dis., 34t, 74a; fragility, 49p, 183b, c; growth, 7g; marrow, 58g, 181h, o, 212j; pathol., 34b, 116a; roent., 183d; surg., 166v; transplantation, 1-i, 7g; tuberculosis, 74a; wds. & inj., 1-i
- BOTULISM**, 61p; clostridium, 139f, g
- BRAIN**, abnorm., 118u; abscess, 67f, 116p, 166f, 213p; anat. & histol., 11d, 155d; atrophy, 116j; blood supply, 112e; can., 164u; chem., 142a, 157d, 164f; cysticercosis, 129r; dis., 49v, 73s, 147m, 167k; eff. of drugs on, 214m; electroencephalography, 61j, 71g, 62n, 156c, m, 157a, 164u, u, 208-i; embryol., 9t; for bod., 167t; hematoma, 167h; hemorrh., 116-1, 117h, 125f, 166b, 204w; hernia, 64u, 116s, 149o; localization of function, 2d, 158s, 208p; pathol., 118n; physiol., 6i, 61q, 62n, 121m, 156c, d, m, 157a, 164u, u, 208-l, o; regen., 7a; surg., 26d, 35a, 88w, 94k, 95a, 96p, 157c, 166i, k, 200h, 202h, 206e; transplantation, 7a; tuberculosis, 100g; tum., 44q, 62b, 104p, 116b, l, s, 142h, 146p, 147e, 156g, 165h, 198a, 203u, 208e; varix, 116e; wds. & inj., 37i, 92e, 116c, w, 157b, i, 166b, 167c, d, h, j, m, p, q, s, t, 208p
- BREAD**, 97v
- BREAST**, 81p; anat. & histol., 1d, 204j; can., 30s, 31-i, 51s, 65t, 95m, 96r, 118a, 147v, 148e, 162e; dis., 44v, 74g; inflam., 80e; Paget's dis., 51o; physiol., 174s, 204i, l; surg., 160t; tuberculosis, 169d; tum., 175g
- BROMINE AND BROMINE COMPOUNDS**, 164t
- BRONCHI**, 147m; abscess, 50e; anat. & histol., 107w; bacterial, 78u; can., 27f, 29m, 46u, 71v, 96-1, 100j, 169s, 199d, 202f, g; catheterization, 146g; exam., 31e; physiol., 169b
- BRONCHIECTASIS**, 33v, 143p, 146p; compl. & seq., 65p; etiol. & pathogen., 77u; ther., 29g, 75-1, 77t
- BRONCHITIS**, 146e
- BRONCHOPNEUMONIA**, in inf. & child., 160-1
- BRONCHOSCOPY**, 28a, 158d
- BURNS**, 110g, 211d; ther., 35j, 39p, 73t, 93c, 151b
- BURSARIA**, 10w
- 2,3-BUTANEDIOL**, admin. & dos., 56k
- BUTTERFAT**, prod., 172j
- BUTTERMILK**, 146s
- BUTTOCKS**, abscess, 25a
- CADAVERS**, 129r
- CADMIUM**, tox., 21v
- CAISSON DISEASE**, 92f
- CALCIUM AND CALCIUM COMPOUNDS**, determ., 58m, 115h; lactate, 54a; pyruvate, 54a; metab., 95m; tox., 79i

- CALCULI, 80u  
 CALVIN, JOHN, 70w  
 CAMPHOR, sulfonate, 56r; tox., 26d  
 CANCER, 41v, 59j, 199m, 203-l; adenocarcinoma, 190m; chorionic, 18w, 19a, 30m, 93m, 104d; clinics, 199u; crown gall, 54g; diag., 196-l, 199u; etiol. & pathogen., 81i, 114s; exper., 55h, 81p; hered., 160t; hist., 25k; hospitals, 192o; immun., 105n; in inf. & child., 160r, s; in Wash. D. C., 141t; metastases, 37o, 48p, 50-l, 96r, 107u, 148e, 199d, 202f; mortal., 81k, l; pain, 166g; pathol., 21e; prev., 141t; radiother., 143-l; roentgenother., 141h; ther., 37f, 95j  
 CANNING AND CANNED FOODS, 87f, 188g  
 CANNULA, 60q  
 CAPILLARIES, anat. & histol., 129k; dis., 31n; permeability, 144v  
 CARBAMATES, eff., 6f; tox., 10h  
 CARBAZIDES, 53a  
 CARBOHYDRATES, in diet, 173q; metab., 28p, 69i, 134h  
 CARBOLINE, 184n  
 CARBON, activated, 53s; metab., 92c  
 CARBON DIOXIDE, eff., 211f; isotopes, 59t; reduction, 185u  
 CARBON DISULFIDE, 53s; tox., 21w  
 CARBON MONOXIDE, 34-l, 59t; prep., 185v; tox., 27m  
 CARBON TETRACHLORIDE, eff., 10h  
 CARBONYL COMPOUNDS, 52w  
 CARBOXYLMETHYLAMINE HEMIHYDROCHLORIDE, 129v  
 CARCINOGENIC SUBSTANCES, 55d, h, 207c  
 CARDIOVASCULAR DISEASES, 28u, 99f, 144k; in diabetes mellitus, 93s, 111k; syphilis, 24q; ther., 95j  
 CARDIOVASCULAR SYSTEM, 109v; abnorm., 48f; eff. of drugs on, 211d; exam., 37n; function tests, 99f; surg., 48f  
 CARONAMIDE, ther., 59r  
 CAROTENE, 59q  
 CAROTID BODY, 105g  
 CAROTID SINUS, 113e, 146f, 214-l, n, r  
 CASEIN, 56p  
 CASTRATION, 2-l, p, 19a, h, 171k, 181u, v, 182a  
 CATALYSTS, 185p  
 CATARACT, 64t; congen., 161f; etiol. & pathogen., 24s; extraction, 211, 64k  
 CATECHOL, 184c  
 CATTLE, 174c; breeding, 172d, g, 190d, e; dis., 80-l, u, 171m, o, p, 202t; feeds & feeding, 172c, 173-l, p, q, r, v, 174a, b, d, f, g, j  
 CECUM, 93a; abnorm., 126g; can., 204a, 205b; tum., 48r  
 CELIOSCOPY, 136s  
 CELLS, division, 1u, 3g, h, i, 5b, c, 8q, 141i, j, 155i, 215r; mitochondria, 129g; nuclei, 154n; physiol., 32d  
 CENTRAL SERVICE FOR THE CHRONICALLY ILL, 48-l  
 CENTRIFUGES, 42m  
 CEPHALIN FLOCCULATION TEST, 88a, 112j  
 CEREBELLUM, 24-l; abscess, 159h; cysts, 133w; dis., 107p; hernia, 116s; pathol., 108d; physiol., 200k; tum., 25w  
 CEREBROSPINAL FLUID, 159b; chem., 62a, 164f; cholinesterase, 147h; pressure, 46a; secretion, 159c, 159a  
 CESAREAN SECTION, 111p, 137u, 190t, 199v; indications, 137r  
 CESTODES, 131c  
 CESTRUM, 68n  
 CHANCER, extragenital, 37a  
 CHARACTER, 122t  
 CHARCOAL, 31t  
 CHEESE, 183g, h, i, j, k, l, m; manuf., 87h  
 CHEMICAL SOCIETY, LONDON, 132e  
 CHEMISTRY, biologic, 55-l; hist., 132e; organic, 58p; research, 155n  
 CHEMOGRAPHY, 144q  
 CHEMOTHERAPY, 16-l  
 CHEST, dis., 143o; pain, 26w, 34j; wds. & inj., 33e, 75u  
 CHICKENPOX, diag., 130d; herpes zoster & chickenpox, 103t  
 CHIGGERS, 130q  
 CHILD WELFARE, 123c, 194-l; in U. S., 123j  
 CHILDREN, 213s; dis., 67d, 144o, 160d, 212j; educ. & train., 111v, 117m, 213t; gifted, 214f; growth & development, 106h, 197t; hyg. & health, 111i, u; mortal., 67d; nerv. & ment. disorders, 67f, 92e; nutrition, 51h, 134-l, 194g; physically defective, 142p; psychol., 45c, 117k, l, 161j, l  
 CHILOMONAS, 9-l  
 CHIROPODY, 89k  
 CHLORAZOL PAPER BROWN B, 17w  
 CHLORAL HYDRATE, metab., 120v  
 CHLOROACETONE, condensation, 185e  
 CHLOROACETONE-FORMALDEHYDE CONDENSATION PRODUCTS, 185e  
 CHLOROAMINES, 5a  
 CHLOROETHANE, 205w  
 2-CHLOROETHYL-2-HYDROXYETHYL SULFIDE, 132s  
 CHLOROETHYLAMINES, 20w, 184v; eff., 69i  
 CHLOROMYCETIN, 119r  
 2-CHLORO-1-NAPHTHALENESULFONIC ACID, nitration, 53a  
 CHLOROPHENYL-GLYCEROL, 161t  
 CHLOROPICRIN, 53s  
 CHLOROPROPANE, 183p  
 CHLOROQUINONES, 60j  
 CHOLERA, 140e, 194v; diag., 124h; epidemiol. & statist., 140d; immun., 23a, 140c; in Egypt, 123v, 124b, 140b; ther., 97e; vibrio, 130j, 130-l  
 CHOLESTEROL, 6e; oxidation, 57t; synthesis, 58b  
 CHOLINE AND CHOLINE DERIVATIVES, 172a; acetylcholine, 29a; eff., 115b, 121n, 141a, 176i  
 CHOROID, transplantation, 180n  
 CHROMATOGRAPHY, 60c  
 CHROMIUM AND CHROMIUM COMPOUNDS, 186p  
 CHROMOSOMES, 3h, 4a, 89i, 190c  
 CHRONAXIA, 181o, p, q, 193n  
 CICATRIX, 193i; ther., 74v  
 CICTA, 163a  
 CILIATES, 10u  
 CINCHONA, dis., 81g  
 CINCHONINE, metab., 23g  
 CITRATES, determ., 85f; eff., 162b  
 CITRIN, 109e, f  
 CITRININ, 185t  
 CITY PLANNING, 216o  
 CIVETONE, 183o  
 CLOTHING, 45q, 77j; protective, 152f  
 COAGULASE, prod., 81u  
 COAL TAR, 119u  
 COBALT, deficiency, 114n; determ., 131h; eff., 130i; isotopes, 13b; radioactive, 13b; spectrum analysis, 53p  
 COCCIDIODOMYCOSIS, 78t, 156i, 169q  
 COCCIDIOSIS, epidemiol. & statist., 176a; immun., 130t; in chickens, 79t  
 COCCIDIUM, 177o  
 COCCYX, tum., 204e  
 COD LIVER OIL, 215c  
 COELENTERIC FLUID, 5i  
 COFFEE, substitutes, 162w  
 COITUS, 2-l, 4g, m, 9a, b  
 COLCHICINE, 215r  
 COLCHICUM, 215f  
 COLD, eff., 6s, 96i, 141i, 149a, 206t, 209v  
 COLD PRESSOR TEST, 100d  
 COLITIS, ulcerative, 24u, 33v, 45h, 61n, 88a, o, p, q, r, s, t, 135p, q, 136b, c, 189u, 203v  
 COLLOIDAL GOLD TEST, 88a  
 COLLOIDS, 186g, p, q  
 COLON, abnorm., 212b; can., 34c, 40s, 44e, k, p, 98q, 110s, 125-l, 189u, 204a, c; dilatation, 67n, 212s; diverticula,



- 34f; surg., 46u, 204c; tum., 125d  
 COLOR BLINDNESS, 57f, 69r  
 COLOR PERCEPTION, 38r, 114q  
 COLORADO STATE MEDICAL SOCIETY, 40f  
 COLORIMETER AND COLORIMETRY, 85p  
 COLOSTOMY, 101t, 207u  
 COLOSTRUM, 125m, 138c  
 COLPODA, 69k  
 COLUMBIA UNIVERSITY, SCHOOL OF DENTAL AND ORAL SURGERY, 5c  
 COMMUNICABLE DISEASES, 62k, 67q, 202a; immun., 51h  
 COMPLEMENT, fixation, 40f, 51w, 193m  
 CONDUCTIVITY, thermal, 13d, 58r  
 CONDYLOMA, ther., 29b  
 CONGO RED, 99t, 154u  
 CONGRÈS DE LA SOCIÉTÉ INTERNATIONALE DE CHIRURGIE ORTHOPÉDIQUE, 146f  
 CONJUNCTIVA, pathol., 210a; pigmentation, 210b  
 CONJUNCTIVITIS, 21h; phlyctenular, 63-1  
 CONSTITUTION, types, 192h  
 CONTRACTURE, 74b; Dupuytren's, 96p  
 CONTRAST MEDIA, 128a  
 CONVALESCENCE, 90c  
 CONVULSIONS, etiol. & pathogen., 139a; in inf. & child., 196d; ther., 115u, 200e  
 COPPER, 5k, 131m, 193b; eff., 193d; metab., 172u  
 CORDITE, tox., 193u  
 CORN, 171u  
 CORNEA, dystrophy, 63h; pigmentation, 210b, e; regen., 1s; surg., 64n, 210d; wds. & inj., 7f, 210d  
 CORONARY VESSELS, abnorm., 25m; dis., 25d, 44h, 113c; infarction, 202c; insufficiency, 37t; occlusion, 45d, 113b, 202c; stenosis, 41k  
 CORPUS LUTEUM, 190-1; rupture, 138a  
 CORPUS STRIATUM, 165-1  
 COSMETICS, 117p  
 COUNCIL ON DENTAL HEALTH, 15n  
 COWPOX, diag., 130d  
 CRACKERS, 87h  
 CRANIOMETRY, 85b, c  
 CRANIOTOMY, 20a  
 CRANIUM, abnorm., 164d; anat. & histol., 11d; atrophy, 27s; dis., 73u, 147m; fractures, 159d; pathol., 23n, 86e; perforation, 20a; pressure in, 62b; roent., 72e, 164m; surg., 96a, 116r, 167g; tum., 124q; wds. & inj., 144u, 147u, 167h, 1  
 CRAWYNS, 98k  
 CREATINE AND CREATININE, determ., 181v; eff., 200d  
 CRIME AND CRIMINALS, 19m, n; psychol. & psychiat. aspects, 19-1, 155v  
 CRIPPLES, 163b, 1, 213s, t  
 CRYSTALS, roent., 82v  
 CURARE, 26c, 94n, 159d; derivatives, 83a; eff., 6d, 39t, 93c, 124u, 156p  
 CUSHING SYNDROME, 38o, 92t  
 CYANAMIDE, tox., 182p  
 CYANIDES, tox., 162t  
 CYANOSIS, 214h; ther., 34q  
 CYCLAMEN ALDEHYDE, 55o  
 CYCLOHEXADIENALDEHYDES, 83a  
 CYCLOHEXANE, 12t  
 CYCLOHEXANONE, 132j  
 CYCLOPENTENE-1-CARBOXYLIC ACID, 83c  
 CYCLOPHORIA, 118k  
 CYCLOPROPANE, 104h  
 CYLINDROSPERMUM, 207f  
 CYTOCHROME, 4b, 32d, 59j  
 DATURA, 215j, p  
 DAVIS REACTION, 180p  
 DEAFNESS, 118p, 142b, 159a, 205b; ther., 47r, 147j, 159v  
 DEATH, causes, 43u  
 DECAPITATION, 206d  
 DECUBITUS, 106e, 108h, 114d; ther., 149s  
 DEFICIENCY DISEASES, 32p  
 DEHYDRATION, 114n, 149r; fever, 212q  
 bis-DEHYDRIODIOISYNOLIC ACID, eff., 10j  
 DELIRIUM, etiol. & pathogen., 93h  
 DELOUSING AGENTS, 216e  
 DEL SARTÉ'S SIGN, 198h  
 DEMENTIA PRAECOX, pathol., 155u; ther., 61i, 104u, 156s, 166f  
 DEMEROL, 111o  
 DENTIFRICES, 84s, 85j, 216d  
 DENTISTRY, 13w, 14j, 14-1, 15e, i, r, n, 134-1, 135h, 187s, v; apparatus, 133k; assistants, 13-1, 133r; economics, 16e, i; educ., 14n, 15c, d, u; hist., 83w, 134m; in U.S., 135b, 187f; materials, 14e; med. & dentistry, 187m; methods, 83t, u, 188h; military, 52c, e, g, h, i; preventive, 15s, 83t, 134t; psychol. aspects, 101d, 134s; pub. health, 135b; research, 133r; statist., 188b; surg. in, 16s; teaching, 14g, 1  
 DERMATITIS, etiol. & pathogen., 41q; exfoliativa, 17i, 47g, 141q; lichenoid, 17p; venenata, 17o, 205c  
 DERMATOLOGY, hist., 142-1  
 DERMATOMYOSITIS, 65v, 112n, 200g  
 DESOXYRIBONUCLEASE, 7k  
 DETERGENTS, 77a, 161p, 186h, 1  
 DEXTIN NITRATES, 185o  
 DEXTROSE, eff. of saliva, 85a  
 DIABETES INSIPIDUS, compl. & seq., 40d; etiol. & pathogen., 72p; in animals, 80t  
 DIABETES MELLITUS, 34u; acidosis in, 93t, 111m; blood in, 93s; coma in, 30o, 36d, 93s, 106g; compl. & seq., 23n, 28k, 35u, 49b, 50r, 111k, 1, 143b, 206n; etiol. & pathogen., 145j; exper., 3c, 182s, t; eyes in, 110n, 111m, 148h; in inf. & child., 36p, 160e, 212a; insulin in, 117t, 149q; metab. in, 93t, 112m; mortality, 195m; surg. in, 73e, f; ther., 141f, 201g, 202w; tuberculosis & diabetes, 31b  
 DIAGNOSIS, methods, 191o  
 DIALYSIS, 105t  
 DIAMIDINES, eff., 130b, c  
 DIAPHORESIS, 6-1  
 DIAPHRAGM, surg., 125a  
 DIARRHEA, 144k; etiol. & pathogen., 77m; in inf. & child., 67m, 201-1, 203j  
 DIATHERMY, 54c; injurious eff., 55u  
 DIATHESIS, hemorrhagic, 66g  
 DICHLORODIETHYL SULFIDE, tox., 214p  
 DICHLORODIPHENYLTRICHLOROETHANE, 6b, 56w, 171i, 177n, 183v, 216j; eff., 171h, 177m; formation, 81u; tox., 6c, 177n  
 DICHLOROETHYL SULFIDE, tox., 95o  
 DICUMAROL, 26d, 113a; eff., 137q; tox., 42v  
 DIDIMINUM, 207d  
 DIET AND DIETETICS, 86s, 133p; deficient, 18j, 32q, 51b, c, d, f, g, h, i, j, k, 95o, 138v, 142n; dis. & diet, 36g, 39n, 51f, 94q, 96e, 141u, 144i, 157p, 189m; exper. studies, 70h, 79r; in World War II, 32o  
 DIFFUSION, 13h  
 DIGESTIVE SYSTEM, 46j; anat. & histol., 5o; dis., 39n, 72a, 149u, 211u; for. bod., 46b, 201g; roent., 18t  
 DIGITALIS AND DIGITALIS PREPARATIONS, 82h, o; eff., 195h, 211g; ther., 101q, 103n, 106m  
 DIHYDROXYPROPYL, derivatives, 120c  
 DIMERCAPTOPROPANOL, 94j; eff., 57s, 140u; tox., 108u, 189b  
 DINITROCRESOL, tox., 32n  
 DINITROPHENOL, eff., 4s; tox., 21t, 32n  
 DIPHENYLHYDANTOIN, tox., 141-1  
 DIPHENYLSOBNZOFURAN, 55n  
 DIPHTHERIA, 199q, 200n; antitoxin, 185h; bacilli, 70q, 179e, 182u, 199c, 205o; blood in, 179d; carriers, 106p, 149g; compl. & seq., 23q, 159e; cutaneous, 156j; immun., 149k; mortal., 149k; ther., 23v, 31v, 98c 118e, 145o  
 DIPHYLLOBOTHRIUM, 24f  
 DIPLOPIA, 118m  
 DISASTERS, 45r  
 DISEASE, 147j; chronic, 49q; econ. & soc. aspects, 34f

- 123q; in famous persons, 61b; phys.-ment. relationships, 35h, 44s, 102i, 107g, 111e, 156o, 202v; trans., 67i, 142i
- DISINFECTION AND DISINFECTANTS**, 60a, 162g, 205h, 216h
- DISTEMPER**, 202u
- DISTYRYL**, 82b
- DIURESIS AND DIURETICS**, 26b, 95s, 102b, c, 121b, 186u, 195h, 211r
- DIVORCE**, 19s, t
- DOGS**, 6n; dis., 79v, 87a; parasites, 171h
- DOUCHES**, 197t
- DRESSINGS**, 60k
- DROPSY**, epidemic, 101f
- DROWNING**, 181h
- DRUGS**, 32v, 68-1, 119v, 197f, 216g; addict., 139g, 147o, 191p; admin., 123f, 124t, 162u, 179u; eff., 3w, 6g, h, 211i, j, k, l, m; flavoring, 67w; manuf., 68h; preservation, 215v; synergistic action, 120m; tox., 41b, 68a, 92-1
- DUODENUM**, anat. & histol., 115m; dilatation, 100n; dis., 74i; diverticula, 47b; obstruction, 165p; pressure in 136d; surg., 76e
- DURA MATER**, cysts, 156f; wds. & inj., 167j
- DUST**, 194q
- DWARFISM**, 86i, 94o
- DYES**, 17v; solubility, 186b
- DYSENTERY**, 24q, 150q; bacillary, 92w, 136b, c, 179i, 206c; epidemiol. & statist., 150r; etiol. & pathogen., 179h; ther., 46a
- DYSMENORRHEA**, ther., 28d, 42s, 43q
- DYSYPNEA**, 191o, 203n
- DYSTROPHY**, muscular, 61n, o, 104f, 116a
- EAR**, abnorm., 38e; anat. & histol., 2i; can., 139b, 159b; dis., 158m, r, 159r, 160h, 212e; external, 21j, 28-1, 65d; internal, 64q, 144u, 158a, o, s, 159c, h, p, t; pain, 21k; surg., 147j, 201e; tum., 90s
- EARTHWORMS**, 5k
- ECHINOCOCCOSIS**, 90u
- ECLAMPSIA**, 40k, 190n; compl. & seq., 137o; etiol. & pathogen., 47j; ther., 42j, 200b
- ECONOMICS, MEDICAL**, 37e; fees, 192t; plans for medical service, 37f, g, h, 87p, 103j, 201n; types of practice, 98i, 103j, 140p
- ECTROMELIA**, 67o
- ECZEMA**, 34j; vaccinatum, 188g
- EDEMA**, 139q; blood in, 141j; cardiac, 106k, 112u, 143j, 145q; compl. & seq., 47j; etiol. & pathogen., 32q; in inf. & child., 66m; postop., 107h
- EDUCATION**, research, 70c
- EDUCATION, MEDICAL**, 33s, 99w, 139q; hist., 97a; in Ireland, 97o; in Peru, 33o; in Utah, 110m; post-graduate, 33r, 49s; premedical course, 97o; teaching, 33s
- EGGS**, 87o
- ELBOW**, dis., 74c; disloc., 137c, 204g; surg., 198p
- ELECTRICITY**, injurious eff., 116f, g
- ELECTROCAPILLARITY**, 13g
- ELECTROCARDIOPHONOSPHYGMOSCOPE**, 37n
- ELECTRONICS**, 115p
- ELECTROPHORESIS**, 82g
- ELECTROTHERAPY**, 35e, 76p, 156p; apparatus, 60s; in France, 165c; technic, 164u
- ELEMADIENOLIC ACID**, 83e
- ELEPHANTIASIS**, genital, 75b, 126k
- ELPENOR SYNDROME**, 105u
- EMBELIN**, synthesis, 183u
- EMBOLEM**, 26u; aortic, 41r; blood in, 42i; caval, 30k; gas, 169t; puerperal, 137g; pulmonary, 51p, 79j, 125r, 201r; ther., 23a, 35c, 44c, 97g
- EMBRYOLOGY**, 2d, 3q, v, 5b, j, k, 7k, 8d, h, j, l, 9s, 53-1, 56b, l, 129e, h, 181b, 195p; human, 190k
- EMBRYOTOMY**, 137m
- EMOTIONS**, 6h, 102q, 157h, 209h
- EMPYSEMA**, compl. & seq., 201n; mediastinal, 40b; pulmonary, 47d, 71v, 78e, 99f, 112-1
- EMPYEMA**, etiol. & pathogen., 198c; in inf. & child., 66r; ther., 41s, 66s, 78f, 92b; tuberculous, 75b
- EMULSIONS**, 162s
- ENCEPHALITIS**, 94q; etiol. & pathogen., 208j; hemorrhagic, 36d; in animals, 80s; pathol., 116j; periaxialis diffusa, 160n
- ENCEPHALITIS, EPIDEMIC**, 36c; compl. & seq., 77n; epidemiol. & statist., 70l, k; in Japan, 70k; in Korea, 70m
- ENCEPHALOMYEELITIS**, 130k; exper., 57s
- ENDAMOEBIA**, giagialis, 5b; histolytica, 5c, 10r, 130v
- ENDOCARDITIS**, infectious, 29d, 32a, 40b, 48q, 89c, 93b, 106i, 138f, 141p, 148-1, 212v
- ENDOCRINE GLANDS**, anat. & histol., 9h; dis., 23n, 95v, 108f, 156k; interrelationships, 7c; physiol., 67b; weight, 18g
- ENDOCRINE THERAPY**, 80o, 149m, o
- ENDOMETRIOSIS**, 48r, 75v, 103m
- ENDOMETRIUM**, pathol., 190-1, m
- ENVIRONMENT**, 8c, 172h, 210j
- ENZYMES**, 69r, s; digestive, 182d
- EOSINOPHILS**, 43a, n, 49v, 111e, 139a, 195i, 203c
- EPENDYMA**, embryol., ip, tr
- EPHEDRINE AND EPHEDRINE DERIVATIVES**, separation, 120c
- EPIDIDYMS**, tum., 170j, k
- EPILEPSY**, 31j, 214d; compl. & seq., 23n, 213n; etiol. & pathogen., 97v, 116-1; exper., 208o; hist., 31d; pathol., 208-1; ther., 72q, 156p, 157j, 160h, 198e, 214b
- EPIPHYSES**, inflamm., 1135; separation, 48i
- EPITHELIUM**, 114o
- EQUILIBRIUM**, 110a
- EQUISETUM**, 21b
- ERGOSTEROL**, 132h, i
- ERGOTHIONEINE**, 36c
- ERYSIPELAS**, in animals, 176b
- ERYTHEMA**, 177; multiforme, 32-1, 92o; nodosum, 23s, 25a, 79h, i, 79o
- ERYTHROBLASTOSIS, FETAL**, 26a, 107e, 137o, 138e, 140o, q, 161e
- ERYTHROCYTES**, 2b, c, 172i, 181h; count, 51k, 105-1, 109v; eff. of bacteria, 4n; fragility, 109v; morphol., 43c, 55t; pathol., 211c; permeability, 121u; sensitization, 140q
- ESKIMOS**, 63i
- ESOPHAGUS**, abnorm., 66f, i, 76m; atresia, 64r, 209g; can., 47j, 50g, 163s, 202f, 206b; dis., 74g, 88i, 157a; hernia, 164j; mucosa, 8m; surg., 157e; tuberculosis, 159o; ulcers, 108v, 161c; varix, 97v, 158k
- ESTERASE**, 182j
- ESTROGENS**, 82b, 170r; adminis. & dos., 8u; determ., 120d; eff., 2m, 3s, 4e, 8v, w, 9a, c, 10h, 19b, 35o, 76k, 174o, 191q; metab., 164t; ther., 87b, 101q, 111b, 201f; tox., 109h
- ESTRUS**, 174v
- ETHANOLAMINES**, eff., 115b
- ETHER**, extraction, 55q
- ETHICS, MEDICAL**, 68c, 149t
- ETHMOID SINUS**, hemorrh., 158p
- ETHYL CARBAMATE**, 6c
- ETHYLENE GLYCOL**, 68f
- ETHYLENEDIAMINE**, 140v
- ETHYLENIMINE**, 194-1; tox., 21r, s
- EUESEMOL**, 83j
- EUGENICS**, 172i
- EUNUCHISM**, 157g
- EURYSCHEIA**, 177g
- EURYMYOCNEMA**, 177g
- EXERCISE**, eff., 99f
- EXOPHTHALMOS**, 76i; ther., 165v
- EXPLOSIONS**, 157i
- EXTRAPYRAMIDAL TRACT**, dis., 66i; pathol., 116j
- EXTREMITIES**, artificial, 60f, 207g; embryol., 8k; paralysis, 31e, 161b, 197o; regen., 8u; surg., 50t; wds. & inj., 8k, 33f

- EYELEDS, atresia, 212k; carbuncle, 31f; dis., 34-1, 118j, 164r; spasm, 94o; surg., 63o
- EYES, 210u, v; accomm. & refrac., 64a, n, 65j, 118-1, n, 152w, 209r; anat. & histol., 57j; artificial, 52f, g, 144b; dis., 16n, 35h, 37k, 52o, 63m, 64-1, 109i, 158r, 164r, 210c, j; embryol., 8p; for. bod., 98h; in various cond., 63c, e, q; loss, 63j; movements, 180-1; muscles, 33f, 64b, n; pathol., 180n; physiol., 100; surg., 63h, n, p; syphilis, 210g; tension, 63e; tuberculosis, 63b, c, k; tum., 63-1; ulcers, 64-1; wds. & inj., 209u, v, 210b
- EYEWASHES, 120k
- FACE, 83v, 98n; abscess, 31f; deform., 135b; dis., 74e; expression, 64t, 109a; surg., 105c, 141w; wds. & inj., 151g, h, 1, 167h, 1, s
- FALLOPIAN TUBES, roent., 37r; surg., 139h
- FAMILY, 12c, 38i
- FAMINE, 152r
- FASTING, metab. in, 3o; therapeutic, 18j
- FAT, 4t, 8a, 86o, 215f; determ., 68o; digestion, 18q; hydrogenation, 215h; in diet, 115o, 185-1; oxidation, 52u
- FATIGUE, 151u, 152t, 201a
- FECES, 172q; bacteria in, 124h; blood in, 189v; fat in, 7-1, 121r; incontinence, 31-1; reaction, 98j
- FECUNDITY, 19c, f, 55i, 174v
- FEDERAL TRADE COMMISSION, 68s
- FEEBLEMINEDNESS, 212k; educ. in, 161m
- FEMUR, fractures, 76a, 101h, 126j, m; gangrene, 125m; roent., 126m, 164-1
- FERMENTATION, alcoholic, 185-1; bacterial, 87h, 183g, h, 1, j, k
- FETUS, abnorm., 67q, 123i; death of, 123i; membranes, 3j, 175a; pathol., 123i; position, 42p
- FEULGEN REACTION, 17u
- FEVER, compl. & seq., 213b; etiol. & pathogen., 177v, 202b; exper., 121k, 1, m, n, p; ther., 202b; therapeutic, 28r, 103d, 162v
- FIBERS, raw, 32o
- FIBRIN, 187k
- FIBROSITIS, 12j
- FILARIA, 80d, 205-1
- FILARIASIS, diag., 22v; ther., 133a, b, 140k, m, n
- FILMS, photographic, 207a
- FILTERS, 57n, 68j, 162g, 207o; infra-red, 62t
- FINGERPRINTS, 11g, 19p
- FINGERS AND TOES, abnorm., 42r, 78c, 199q, 212u; can., 199d; dis., 35s; surg., 29u; ulcers, 94u; wds. & inj., 46c
- FINGERSUCKING, 87o
- FISCHER-TROPSCH REACTION, 56t
- FIRST AID, 30f, 45r, 150-1, m, 209b
- FISH, 5q, 7u, 59h; dis., 176o
- FISHERIES, 12d
- FISTULA, arteriovenous, 44j; bronchohepatic, 40p; carotid-jugular, 125t; esopagopulmonary, 191p; esophagotracheal, 64r, 66-1; gastrojejuno-colic, 18h; labyrinthine, 64q; postop., 44w; preop., 44w
- FITCH CASE, 68s
- FLASKS, 175q
- FLATULENCE, 136i
- FLAVANONES, 59v
- FLAVONES, 144v, 184s, t, 211g; eff., 100e, f; ther., 65a
- FLEAS, 53d, 177h
- FLOCCULATION, 154p
- FLOOD RELIEF, 71c
- FLOUR, 87m, n, 162j; agerized, 98a, b
- FLUIDS, 9n, 141b, 208t; admin. & dos., 34b
- FLUORANTHENE, eff., 121h
- FLUORESCIN, 75i
- FLUORESCENCE, 56f, 57p; microscopy, 27w
- FLUORIDES, 13g, 15h; determ., 141, 216u; eff., 69p, 84r, 162b; ther., 172-1; tox., 141, 84m, u, 85p, 171m, 205r, s, t, u, v
- FLUOROANTHRANILIC ACID, 185t
- FOLIN'S METHOD, 141b
- FOOD, analysis, 12t; dried, 67g; frozen, 87i, 123h; parasites, 58b; poisoning, 20e, 200d; precooked, 123h; stored, 58b; supply, 123d; vitamin content, 87f
- FOOD, DRUG AND COSMETIC ACT, 14e
- FOOT, 191k, 196n; can., 175d; deform., 38r, 124n; dis., 12-1, 74d, 190t; trench, 151e, f
- FORAMEN, Luschka's, 116u; Magendie's, 116u; mental, 85b
- FORCEPS, 45b
- FOREIGN BODIES, 200q; in air & food passages, 39k, 46b, 201q
- FOWLER'S POSITION, 117p
- FOWLS, 8b; dis., 10t, 171n
- FRACTURES, 74b; healing, 126k; ununited, 75m, 76a
- FRIEDEL-CRAFTS REACTION, 133d
- FRIEDMANN REACTION, 182e
- FRUCTOSAN, 193a
- FRUITS, 87p; vitamin content, 87r
- FRONTAL BONE, osteomyelitis, 158o
- FRONTAL SINUS, dis., 21j; tum., 64v
- FUGUE, 94g
- FUNGI, 11o, 57q, 207a, e; poisonous, 53f, 162h, 190t; preservation, 17d
- FUNGICIDES, 11r, 60f, j, 161t, 188r, 189a
- FURAN DERIVATIVES, 184d, j
- FURUNCULOSIS, ther., 35t
- FUSOSPIROCHETOSIS, canine, 87a
- GALLBLADDER, calculi, 18o; dis., 73n, 94t, 148m; excis., 72t, 126d; physiol., 89a; roent., 26o
- GANGLION, basal, 71t; sympathetic, 7g, 59p, 65q
- GANGRENE, 141q; etiol. & pathogen., 30j; gas, 27-1, 30p, 166p; postop., 125d
- GAPES, 10t
- GAS, poisoning, 77u, 161p, 202d
- GASTROENTEROLOGY, 18u; teaching, 136n
- GASTROENTEROSTOMY, sequels, 124p, 169t
- GASTROESOPHAGOSTOMY, 76d
- GASTROINTESTINAL TRACT, 18m; dis., 18p, 30g, 94i, 101w, 105r, 135v, 136o, 209i; hemorrh., 89a; physiol., 109e, 180p
- GEIGER-MÜLLER COUNTERS, 58v
- GELATIN, 42h
- GENEVA CONVENTIONS, 113n, o
- GENITALS, abnorm., 197k; dis., 74-1, 102p, 137a, 149j, 174v; physiol., 148s; tuberculosis, 103u
- GENITO-URINARY TRACT, abnorm., 127t; can., 95k; dis., 109i; tuberculosis, 146v, 170h; wds. & inj., 127r, 178d
- GERMICIDES, 77a, 161t, 216i; eff., 178d
- GIGANTISM, 86e, 1
- GINGKO, 53t
- GLANDS, hypertrophy, 36h
- GLASSES, 63i, 64d, 210h, i; contact, 25e, 63v, 64d, 118n, 202a
- GLAUCOMA, 90s; in World War II, 63o; ther., 64n
- GLOBIN INSULIN, 155b
- GLOSSINA, 177m
- GLOVES, 200b
- GLUCIDES, 53v; metab., 109e
- GLUCOSE, metab., 193e
- d-GLUCOSIDO-L-ARABINOSE, 185b
- GLUCO-THRILIC, 126q
- c-UCOSIDES, 120t
- GLUCURONIDASE, 57d
- GLUTATHIONE, determ., 181b
- GLUTINOSIN, 166v
- GLYCERIN, 60g; prod., 185-1
- GLYCINE, metab., 181-1
- GLYCOGEN, determ., 7e; in liver & muscle, 69d, 121q; metab., 7b
- GLYCOL, 194f; tox., 162i
- GELMIN INSTITUTE OF INORGANIC CHEMISTRY, 155n
- GOTTER, endemic, 191r; in Colombia, 71f; in inf. & child., 192d; mortal, 163m; ther., 144p; toxic, 94i
- GOTTER, EXOPHTHALMIC, surg. ther., 43i
- GOLD AND GOLD COMPOUNDS, tox., 12q, 140u
- GOLGI APPARATUS, 3k

- GONADOTROPINS, 19e,f,g,206s; chorionic,9e,175u;  
eff.,174r
- GONADS, excis.,86r; physiol.,7c,8a,50w
- GONOCOCCI, culture,180k
- GONORRHEA, epidemiol. & statist.,128m; in inf. &  
child.,36c; ther.,30h,38a,105o,145a,170s
- GOUT, 12-1,111w; ther.,108j
- GRAMICIDIN, eff.,69p
- GRANULOCYTOPENIA, 141-1,191e; ther.,211v
- GRANULOMA, 158t; dental,15k,16k; etiol. & pathogen.,  
72v; tuberculous,175d
- GRASSHOPPERS, 5p
- GT. BRITAIN. MINISTRY OF AGRICULTURE AND  
FISHERIES, 175k
- GRIGNARD REACTIONS, 132q
- GRISEL'S DISEASE, 213m
- GROWTH, 5k,7m; exper. studies,1h,v,3w,4a,5d,6j,7k,  
9f,h,58-1,85w,174m,u,181r,s
- GUALACOL, 184h
- GULLAIN-BARRÉ SYNDROME, 197u
- GUMS, dis.,14p,25r; hypertrophy,14p; inflamm.,85e
- GUM CHEWING, 14h
- GYNECOLOGY, 202v; diag. in,136s; in U. S.,48k;  
surg. in,190k
- HAHNEMANN, SAMUEL, 49d
- HAHNEMANN MEDICAL COLLEGE, 20u
- HAIR, color,19m
- HALITOSIS, 85-1
- HALOGENS AND HALOGEN COMPOUNDS, 13g; titra-  
tion,154s
- HAND, dis.,74v,196d; surg.,42o; wds. & inj.,111d
- HARVARD UNIVERSITY. SCHOOL OF DENTAL  
MEDICINE, 14-1
- HAY, 172r,173-1
- HAY FEVER, 28a,118s
- HEAD, pain,15g; wds. & inj.,33f,93-1,151f,167b,c,f,k,  
1,m,n,o,u
- HEADACHE, 64g; etiol. & pathogen.,27s,46c,167u,  
189t,203n; ther.,39s
- HEALTH, educ.,14v,71g
- HEARING, aids,145c; disorders,28e,159i; physiol.,  
29-1; tests,65d,96j,158m,r,159g
- HEART, abnorm.,25-1,26e,31q,46-1,67-1,96i,209e,f,  
214h; beat,10b,56m,214p; block,28n,o; blood supply,  
121b,129q; calcification,94g; dis.,24u,31u,v,33a,m,  
38s,39g,44u,61v,78g,90v,101b,112f,120p,199t,200k;  
displacements,90t; eff. of drugs on,9p,120v,181c,  
m,211g; electrocardiography,41k,48a,11b,112o,  
166s; exam.,165o; for. bod.,75e; function tests,41k;  
infarction,46r,47q,95i,112o,203i; innerv.,214r;  
insufficiency,28a,30p,31p,44g,75c,95q,r,s,99e,102b,  
110-1,139c,143j,202p; muscle,31p,55g; pain,113c;  
pathol.,31v,79u,201h; physiol.,3c,99f,108n,112f,112f,  
h,181d; rate,93u,111r; rupture,202o; surg.,44o;  
valves,129q; wds. & inj.,73-1,92i
- HEAT, eff.,3g,8m,9v,11g
- HEIRENS, William, psychiat. study,19-1
- HELLMAN, Milo, 83v,w
- HEMATURIA, 170g,200q; ther.,100o
- HEMICELLULOSES, 185b
- HEMIPLEGIA, 61v,145b; etiol. & pathogen.,159i; puer-  
peral,137a
- HEMOCHROMATOSIS, 66a,90u,115u
- HEMOELECTRALIC BARRIER, 62c
- HEMOGLOBIN AND HEMOGLOBIN COMPOUNDS, 51k,  
103r; formation,155h,211b
- HEMOGLOBINURIA, in inf. & child.,160j
- HEMOLYSIS, 192v,211c
- HEMOPHILIA, 59j; blood in,99r; ther.,20h,27o,38u
- HEMOPOIETIC SYSTEM, 173s; dis.,39p,91j,202m
- HEMOPTYSIS, 35q,203s; etiol. & pathogen.,29f
- HEMORRHAGE, 96p; compl. & seq.,29n,31a; intra-  
abdominal,138a; postop.,74s,97c; ther.,42h,59v,  
166m,200s
- HEMORRHOIDS, ther.,191t
- HEMOSTASIS, 65j,162r,171m
- HENBANE, 56q
- HENNA, 161r
- HEPARIN, neutralization,120e; ther.,75s,78f,97g
- HEPATITIS, INFECTIOUS, 150v,w
- HEREDITARY, 6t,7p,12d,55i,66r,89h,115m; human,32w,  
115i,201i; in animals,172j; in dis.,61,157h; in plants,  
59q; mechanism,5b,7j,57h,58d,69i,89g,115j,155e,  
190b,f,g,h
- HERNIA, 74h,126f; congenital,9j; diaphragmatic,34h,  
164j; femoral,36i,45o; in inf. & child.,45p; inguinal,  
39-1,45n,47o,73b,76f; postop.,76f; strangulated,138w;  
surg. ther.,45p,125q,166r; ventral,45o
- HERPES, virus,17n; zoster,36e,116g
- HERPESITIS, monilia,120h
- HÉRSCHEL EFFECT, 62t
- HEXAMINE, formation,81u
- HEXAMITA, 10s
- HEXANEDIONE DERIVATIVES, prep.,185r
- HIBISCUS, 154r
- HIP, deform.,198u; dis.,42n,74d; disloc.,109k; frac-  
tures,39b; innerv.,147e; surg.,76b,204i
- HISTAMINE, 158i; antagonists,39s,67u,118b,140v,147j,  
162p; assay,121d; eff.,121p; ther.,118a
- HISTOPLASMOSIS, 17b,160f
- HODGKIN'S DISEASE, pathol.,107v
- HOG CHOLERA, virus,90f
- HOGS, breeding, 172e; dis.,27q,80e,r,172-1,176b,c,  
202u; feeds & feeding, 171t,u,v,172m,p,q,s,173a,  
d,e,g,h,t,u; parasites,131d
- HOMEOPATHY, 89o; hist.,58g; research, 191i
- HORMONES, eff.,1-1,3t,54s,56-1,155d; sex,2p,r,10-1,  
27o,p,121p,174i,s
- HORNS, removal,208d
- HORSES, dis.,171q
- HOSPITALS, 89u,90k,1,102r,192p; admin. & organ.,  
90h,1; chaplains,89v; clinics,209v; contagious dis.  
in,109p; dental service,52h; dietetics,112v; econo-  
mics,89u,90f,192s; equipment & supplies,46o;  
group hosp. insur.,90h; hist.,142d; in Chicago,21o;  
in France,104p,106e,108-1,145w; in Gt. Brit.,89g;  
in New South Wales,192k; in Poland,134p; in U. S.,  
47k,197s; marine,113p; maternity,90t; military,  
152t,u,v,153e,l; ophthalmologic service,210t; person-  
nel dept.,89v; pharmacy,192s; planning,71n,90c,f,  
192-1-r; psychiatric,15m,35i,61s,62e,157g,199p,  
209c; radiologic service,90t; records,80p,90g,97q,  
r,s; standardization,90f
- HUMERUS, deform.,165e; ossification,86c,d,f; roent.,  
72h
- HUNGER, 134s,142m
- HUNTER, JOHN, 19i
- HYALOURONIDASE, 119q,174s,182j
- HYBRIDITY, 5q
- HYDRARTHROSIS, 146a
- HYDROCARBONS, 81-1,m,n
- HYDROCEPHALUS, 176c; etiol. & pathogen.,167m
- HYDROCYTILE, asiatica, 120h
- HYDROGEN, peroxide,133m
- HYDROGEN ION CONCENTRATION, 9o,139s,176j,193-1
- HYDROGENATION, 185p
- HYDROLYSATES, 153j,k,l
- HYDRONEPHROSIS, etiol. & pathogen.,170o
- HYDROQUINONE, tox.,210e
- HYDROTORAX, 145t
- HYDROXY COMPOUNDS, 114v
- HYDROXYLAMINES, 132t
- HYGIENE AND SANITATION, in Italy,144a; military,  
153v,216o; municipal,216w
- HYOSCYAMUS, 53u
- HYPNOTICS, 120m
- HYPOTHALAMUS, 32h; dis.,208k; wds. & inj.,157b
- HYSTERIA, manifestations, 31m
- ICHTHYOSIS, ther.,111b
- IDENTIFICATION, 60n
- IDIOCY, 212s; amaurotic,160o; diag.,117-1; mongol-  
ian,106g



- IZUKA'S TEST, 171m  
 ILLUSTRATIONS, medical, 199m  
 IMMORTALITY, 192b  
 IMMUNITY, 81-1, m, n, 92f, 96v, 149v, 189g; blood in, 94f, 99a, 180q; mechanism, 133s, 144f, 168q, 182i  
 IMPREGNATION, 2c, 8r, 25v, 38w, 55m, 175o  
 INCINERATORS, municipal, 216w  
 INCOME TAX, 101m  
 INDANEDIONE, eff., 54e  
 INDIANS, American, 25-1, 86p, 117h, 159m  
 INDOLE, 194i, k  
 INDOLE-3-ACETIC ACID, 1r  
 INDUSTRY AND OCCUPATIONS, 19o, 22h, 1, 64n, 65k, 1, 71c, 107q, 122m, t, 123g, 138-1, 142b, 163f, 168q, 194f, j, q, s; dis. & pois., 13n, 21u, v, w, 22a, d, 32n, 40v, 48c, 80b, 85p, 91b, 98j, 138q, 140r, 146u, 193v, 194b, 195g; hyg., 64j, 65k, 71c, 111i, 172o, 200u; inj., 22f, 46c, 47-1; med. & surg., 28e, 33d, 35c, r, 111g, 118f, 128p, 138o, q, 194h, i, k, 202j; research, 59b  
 INFANTS, 197s; blood in, 42v, 104b, 199i, 214g; dis., 49v, 66g, 67k; feeding, 26a, w, 67i, 90i, 98k, 162j, 212d; growth & development, 139-1, 161i; mortal., 76j, 214c; nutrition & nutritional disorders, 92n, 100p, 208v, 213v, 214f; premature, 26w, 140o; weight, 35-1  
 INFANTS, NEWBORN, 66q, 76e, 102a, 114v; blood in, 66p, 103s, 140o; dis., 41v, 103s, 137d, 160d, 178u; inj., 137c; weight, 51j  
 INFECTION, 109a, 138u, 167b, 168q; focal, 12h, 118m, 136o; ther., 21m, 39s, 145u, 148o, 200v, 212m  
 INFLUENZA, 25t; compl. & seq., 39h; diag., 25s; virus, 2k  
 INFRA-RED RAYS, 53p; apparatus, 62t  
 INHALATION, 98j; apparatus, 60q, 139i; ther., 26f, 60q, 139i  
 INJECTIONS, 34b, 36j; intra-arterial, 32m, 145w; intra-spinal, 109m; intravenous, 59k, 68g, 201b, 207i  
 INOSITOL, 189n  
 INSECTICIDES, 11r, 60i, h, 207m, n, p, 208a, 216e  
 INSECTS, edible, 146v; eradication, 60g  
 INSTITUT FÜR ANORGANISCHE CHEMIE, CLAUSTHAL-ZELLERFELD, 155a  
 INSTITUTE FOR NUCLEAR STUDIES, 59e  
 INSTITUTE OF RADIOBIOLOGY AND BIOPHYSICS, 59g  
 INSTITUTE OF SEAWEE RESEARCH, 57-1  
 INSTRUMENTS, 20a, 208h; dental, 46i; optical, 3p  
 INSULIN, assay, 155b; eff., 58p, 162b, 211h; ther., 96k, 146v, 203b; tox., 10k, 111-1, 139a  
 INSURANCE, sickness, 33p, 37h, 41i; social, 25p, 71p, 194n, p  
 INTELLIGENCE, 70d, 207j  
 INTERNATIONAL CHILDREN'S EMERGENCY FUND, 123c  
 INTERNSHIP, 191n  
 INTERTINES, abnormal, 76e; anat. & histol., 9k; can., 136o, 204a; cysts, 98t; dis., 18n, 22t, 74i, 135r, 179c, e, 202u; diverticula, 124p, 213b; eff. of drugs on, 99i; enzymes, 5j; hemorrh., 213b; motility, 80b; obstruction, 30m, 50n, 71s, 72b, 126g, 142u, 197m, 212b; parasites, 69k, 136a, 172-1; pathol., 75v; physiol., 7-1; roent., 192b; surg., 98-1, 189t; tum., 43k, 71v, 75u, 76-1  
 INTUSSUSCEPTION, 76-1, 104s, 203d, 212i; ther., 72s  
 IODINE AND IODINE COMPOUNDS, 2w, 53r, 131m; deficiency, 174h; determ., 68f; eff., 19j, 120a, 164o, 172p, 174u; isotopes, 4c; radioactive, 16h, 174-1; tox., 12a  
 IODOTANNATES, 215i  
 IONONE, 83m  
 IRON, 32d; deficiency, 33b; determ., 9n; eff., 66o; metab., 90u; ther., 162o  
 IRONE, 83-1, m, o; spectrum analysis, 83p  
 IRRIGATORS, 207a  
 ISOPREGNANE, 83o  
 ISOTHERMISM, 59v  
 ISOTOPE, 13b, 16h, 58v, 85s, 138s, 144p, 206f
- JACKSON, HUGHLINGS, 39i  
 JAUNDICE, 36r, 189r, 190k; blood in, 145s; catarrhal, 163b; compl. & seq., 66i; diag., 41p, 94i; epidemiol. & statist., 77e; epidemic, 31m; etiol. & pathogen, 23-1; hemolytic, 160j; in inf. & child., 161e; malignant, 175r; obstructive, 88n, 213g; of newborn, 138e; urine in, 145d  
 JAWS, 83v; anat. & histol., 24n, 85g; ankylosis, 26p, 126n; cysts, 15o, 74t, 133w; deform., 85b, 96n, 187q; dis., 15g, 14f; disloc., 138n; fractures, 52k, 142a, 166o; pathol., 205s; roent., 85b; surg., 106c, 133p, 187-1; tum., 15k, 74w, 75k, 76c, 86b; wds. & inj., 14r, 157g, h, i  
 JEALOUSY, 71a  
 JOINTS, ankylosis, 66j; dis., 32m, 34t, 74a; loose bod. in, 37s; pain, 102j; roent., 164m; surg., 166v; tuberculosis, 74a  
 JURISPRUDENCE, MEDICAL, 15e, 16n, 39w, 41f, 187v; expert testimony, 102j; hist., 195p; privileged communications, 197q; wds. & inj. in, 15e  
 JUVENILE DELINQUENCY, 19n, 122g, 144d  
 KAHN TEST, 178i  
 KAISER WILHELM GESELLSCHAFT ZUR FÖRDERUNG DER WISSENSCHAFTEN, CLAUSTHAL-ZELLERFELD, GER., 155a  
 KARENS, 11k  
 KERATIN, 186m, n  
 KETONES, 162e, 164d, o, p  
 KIDNEYS, 3c; abnormal, 1n, 127u; anat. & histol., 9k; blood supply, 35t, 99e; calculi, 43u, 125e, 127v; cysts, 185s; dis., 24t, v, 261i, 37q, 43v, 57n, 67p, 74k, 94b, 105b, 127v, 129o, 136u, 148i; excis., 23-1, 115a; function tests, 106a; necrosis, 206n; pathol., 21v, 36d, 66a; pelvis, 170q; physiol., 1w, 23r, u, 43m, 91g, u, 99e, 1m, 100a, 170c, 211i, j, l, m, o, q; roent., 128a; surg., 138g, 170d, h; tuberculosis, 78o, 170q, o, q; tum., 67j, 149s, 170k; wds. & inj., 76g, 195c  
 KIESELGUHR, 58t  
 KINESMETER, 59t  
 KLINE TEST, 25n  
 KNEE, deform., 30e, 33g; dis., 74d; protectors, 60o; wds. & inj., 147k  
 LABOR, 49p; blood in, 174p, 181a, 200a, k; compl., 137f, 190r; conduct of, 95d, 106r, 190v; drugs in, 94n, 95d, 105h, 108s, 111o, 137h, 139h, 181a, 200c; forceps in, 45b; hemorrh., 102d; induction, 34g; management, 41u; mechanism, 98o; presentation, 136w, 137c  
 LABORATORIES, 197v; apparatus, 42m, 162u, 177s; dental, 134a; technicians, 72g  
 LACCASE, 53g  
 LACRIMAL ORGANS, 1s; can., 63r; mucocoele, 63j; surg., 50b, 63i, 209w  
 LACTATION, 9c, 19d, 212o; exper. studies, 174o; physiol., 204j, k, l  
 LAMINOGRAPH, 117c  
 LANTERN SLIDES, 60b  
 LANTHANE, 54o  
 LARYNGOSCOPY, 158d, 207v  
 LARYNX, can., 65e, 104i; dis., 74g, 158w; hernia, 158t; paralysis, 158b, 203s; roent., 30n; tum., 158t; ulcers, 64t  
 LAXATIVES, 45t  
 LEAD, determ., 12t; tox., 29n, 33-1, 49v, 57s, 110b, 206b  
 LECTHEIN, 20m; eff., 173b  
 LEECHES, 58t  
 LEFT- AND RIGHT-HANDEDNESS, 105d  
 LEGISLATION, MEDICAL, 27u; in U. S., 49n  
 LEISHMANIASIS, 97c; diag., 22s; in Salamanca, 211v; ther., 36j, 77k  
 LENS, CRYSTALLINE, 155j  
 LENTICULAR NUCLEUS, degeneration, 111f  
 LEPROMIN TEST, 90n, o  
 LEPROSY, 44e; diag., 90n; ther., 41d  
 LEUBE, WILHELM OLIVIER VON, 142m  
 LEUCAENINE, 185e  
 LEUCONOSTOC, mesenteroides, 177t, u

- LEUKANEMIA**, 95f  
**LEUKEMIA**, 20n, 43a, 91j; acute, 134o, 202m; diag., 188b; lymphatic, 94e; myelogenous, 109r; ther., 25g, 32f, 49a, 98i, 188b  
**LEUKOCYTES**, 145d, 196v; count, 18m, 125c  
**LEUKODERMA**, 32t  
**LIBMAN-SACKS DISEASE**, 27g, 31n  
**LIBRARIES**, aviation, 59b; research, 59b  
**LICENSURE**, 33o  
**LICENSURE, MEDICAL**, 63w  
**LIESEGANG PHENOMENON**, 6q  
**LIEUTAUD, JOSEPH**, 146d  
**LIFE**, duration, 45i  
**LIFESAVING SERVICE**, 152j  
**LIGAMENTS**, Cooper's, 166r  
**LIGHT**, 10n; eff., 10d; injurious eff., 189e; tox., 176d  
**LIGHTING**, 64j, 210j  
**LIGNIN**, 60b, 81w, 183q, s, t  
**LIGNOSULFONIC ACID**, 186s  
**LIPASE**, 1c, 91k, o, 215w; eff., 129w  
**LIPOIDS**, 115b; extraction, 60c; metab., 23k  
**LIPS**, abnorm., 74p; can., 86i  
**LITERATURE**, medical, 142e  
**LIVER**, 3-1, 155m, 181h, 183k, l, m, 186n; abscess, 18s; acute yellow atrophy, 66b; amebic abscess, 40p, w, 100k, 214g; anat. & histol., 3n; can., 77e, 136h, 147s, 197-1, 201v, 204b; chem., 173n; cirrhosis, 28k, 40-1, 46f, 77e, 88e, f, g, s, 100a, b, 213p; dis., 23v, 28b, 32i, 33v, 36g, 40h, 45j, 46k, 73p, 87a, v, 88a, c, s, 91o, 94t, 99j, s, 100w, 113q, 115t, 144k, 189m, r, 198v, 206g; echinococcosis, 26r; embryol., 3o; enzymes, 4h; extracts, 57p, 81i; fats & lipoids, 57p, 115b, 121q; function tests, 32j, 36w, 87u, 88a, 99j, 106t; 197a; pain, 46r; pathol., 66m, 88b, l, 113c, 148g, 195g; physiol., 3m, 6b, 56o, 91g; surg., 204c; syphilis, 109s  
**LIVESTOCK**, 175s  
**LOBELIA**, 215s  
**LOCOMOTION**, 5n, 6n  
**LOEFFLER'S SYNDROME**, 77v  
**LOROGLOSSIN**, 83b  
**LUBRICANTS**, 120k  
**LUMINESCENCE**, 58n  
**LUNGS**, abscess, 27r, 50e, 101t, 104n, 107d, 113-1; anat. & histol., 200e; can., 28a, 62a, 96r, 141u, 143q, 198k, 202k; cavitation, 169q; collapse, 38t; cysts, 42b, 50d, 125v, 169o; dis., 27k, 31u, 45u, 71i, 78r, t, 110-1, 143o, p, 165j, 169q, 194b; echinococcosis, 29f; edema, 75d; embryol., 181-1; fibrosis, 92g; hemorrh., 29f; hernia, 96m; infarction, 66o; pathol., 42a, n, 49v, 53n, 77v, 203c; physiol., 31r, v, 169b; roent., 194a; surg., 29g, 75-1; tum., 108q  
**LUTIDINES**, 184u  
**LYMPH**, drainage, 76b  
**LYMPH NODES**, can., 50-1, 202f; cysts, 197i; surg., 190o; tuberculosis, 100g, 127f; tum., 65t  
**LYMPHATIC SYSTEM**, 180t  
**LYMPHOCYTES**, count, 92q, 100v, 116e  
**LYMPHOGANULOMA VENEREUM**, blood in, 99p; compl. & seq., 202b  
**LYSINE**, determ., 82a  
**LYSOLECITHIN TEST**, 32f  
**LYSOZYME**, 61a, 182m, n  
**MACLAGAN (THYMOL) TURBIDITY TEST**, 32j, 106t  
**MAGNESIUM**, deficiency, 173h; determ., 56d; oxide, 196f  
**MALARIA**, 101j, 150q, u; compl. & seq., 36g; epidemiol. & statist., 70j; hist., 71-1; in animals, 77h; in Greece, 71-1; in inf. & child., 212f; prev. & control, 23d, 150s, 216g; spleen in, 148g; tertian, 23v, 91q; ther., 93f, 108i, 127c, 147i, 150t; therapeutic, 128j; trans., 23e  
**MALLEOMYCETES**, 130m, n  
**MALVASTRUM, coromandelianum**, 154v  
**MAN**, prehistoric, 177d  
**MANCHESTER PUBLIC INFIRMARY, LUNATIC HOSPITAL AND DISPENSARY**, 199p  
**MANGANESE AND MANGANESE COMPOUNDS**, determ., 131g  
**MAPPING, AERIAL**, 33h  
**MARINE BIOLOGY**, 5v  
**MARRIAGE**, 15a, t, 57v, 194e  
**MASKS**, 198n, 208a  
**MASTOD**, tum., 146t  
**MATE**, 54v  
**MATERIA MEDICA**, 68-1, 102o, 163c, 215j, 216c; hist., 67i  
**MATERNITY**, welfare, 194-1  
**MAXILLARY SINUS**, anat. & histol., 74o; dis., 74o, 150e, 203t  
**MEASLES**, 95c; antiserum, 178j, r; cerebrospinal fluid in, 82s; diag., 92p; immua., 178-1  
**MEAT**, 9s; canned, 172n; chem., 68o  
**MEDIASTINUM**, cysts, 50d, 76m, 168m; inflamm., 50t; tum., 28f, 34e  
**MEDICAL LIBRARY ASSOCIATION**, 119-1  
**MEDICAL MISSION TO MOSCOW**, 152v  
**MEDICINE**, 29d, 32w, 37c, 44w, 139t, 199s, 204s; Amer.-Soviet relations, 92a; cults, 105-1; econ. & soc. aspects, 33s; folklore & superstition, 68e, 70w, 144f, 196n; hist., 102o, 139k, 142e, 162v; in Argentina, 40g in art & literature, 196p; in Gt. Brit., 38-1; in India, 93a, 96g, 101h; in Italy, 143v, w; in U. S., 49h; in U.S.S.R., 92b, l, j; in West Africa, 192-1; in World War II, 57c; physical, 33k, q, 34m, 39c, 98o, 113w; preventive, 57c, 203j; progress, 101n, 139w; soc. aspects, 48-1, 67h; state, 38-1, 44a, 93o, 143t  
**MEERWEIN'S REACTION**, 82b  
**MELANIN**, formation, 65s; pigmentation, 3q, r, s, 10c, d  
**MENINGES**, hemorrh., 24s, 34q, 96q, 116v; hygroma, 117h; syphilis, 104o; tuberculosis, 62d, 127k, 139e; tum., 116a, b  
**MENINGISM**, 46a  
**MENINGITIS**, 208w; compl. & seq., 41-1, 159i, 161b; etiol. & pathogen., 116n, 167k; in inf. & child., 109-1, 137j, 160v; influenzal, 161a, 202i, 212a; lymphocytic, 116e; pneumococci, 66u, 156b; ther., 160u, 197j, 200m  
**MENINGOCOCCI**, morphol., 109-1  
**MENINGOENCEPHALITIS**, etiol. & pathogen., 204p  
**MENOPAUSE**, 77b; disorders, 30v  
**MENSTRUATION**, 139s; disorders, 28w, 108o; physiol., 139s  
**MENTAL DISEASES**, 50v, 61g, 62b, 144a, 155d, 156g, m; blood in, 147h; diag., 61f, m, 155v, 202-1, 208m; epidemiol. & statist., 203v; etiol. & pathogen., 114e, 128t, 155t; pathol., 155u; prev., 38-1; ther., 26a, 29a, 62i, 156t, a, 202-1  
**MENTAL HYGIENE**, 27b, 35s, 38-1, 61t, 62j, 69w, 70v, 110 m, n; in Spain, 70a, b; in U. S., 61s  
**MERALGIA PARESTHETICA**, 135e, 192d  
**MERCAPTAN**, 132p  
**MERCUROCHROME**, 154t  
**MERCURY**, determ., 131g; eff., 211o; surface energy, • 186d; tox., 26b, 96a, 100u, 194s, 197n  
**MESENTERY**, 180t; blood supply, 53j  
**MESODERM AND MESODERMAL TISSUES**, embryol., 8n  
**MESOMUCINASE**, 182j  
**MESONS**, 114k  
**METABOLISM**, blood in, 91o; disorders, 144i; eff. of drugs on, 134h; eff. of radiations on, 10e; endocrines & metab., 95m, 108d; in birds, 143a; nutrition & metab., 51d, l, 144i  
**METABOLITES**, 69t  
**METACARPUS**, ossification, 86h, j, l  
**METALS**, 185v; analysis, 12v; heavy, 65s; research, 59f; thermal conductivity, 13d  
**METAMORPHOSIS**, 6u  
**METHACRYLATES**, 132p  
**METHADON**, addiction, 98g; eff., 121c; tolerance, 98g  
**METHANE**, 12u; oxidation, 81s  
**METHANOL**, prep., 185u  
**METHENAMINE**, 162e



- METHIONINE, separation, 82m  
 METHYL CITRAL, 83q  
 METHYL IONONE, 83a,q  
 METHYL LINALOL, 83q  
 METHYL SALICYLATE, tox., 96v  
 METHYLCHOLANTHRENE, 81o  
 METHYLTHIONINE CHLORIDE, 6-1  
 METOPON HYDROCHLORIDE, 96w  
 MICELLES, 186jk  
 MICROSCOPE, 27q, 55b; electron, 133c, 521, 53o, 58k, 129d  
 MICROSCOPY, electron, 114k, 130d; technic, 7p  
 MIDWIVES, 45m  
 MIGRAINE, etiol. & pathogen., 197r; ther., 88l  
 MILDEW, prev., 68s  
 MILLARIA, ther., 26g  
 MILITARY MEDICINE, 113n,o,u,v, 153o,p,u; ophthalmology, 63u, 210n; surg., 32t, 52t, 96q, 153b; venereal dis., 151v, 152a,b,c,d,e,f; wds. & inj., 153u  
 MILK, 102s; chem., 100-1; prod., 172j; vitamin content, 173a, 204k  
 MIND, 67p; body & mind, 25g, 156a, 200u, 214a  
 MINERALS, 120j; in diet, 171s; metab., 23k, 94n  
 MINES AND MINERS, in Belgian Congo, 77f  
 MIRACLES, 57j  
 MITES, 130q,r, 177k; eradication, 77q  
 MITRAL VALVE, insufficiency, 201q; stenosis, 201q  
 MOELLER-BARLOW'S DISEASE, 213c,e,d  
 MOISTURE, determ., 114n  
 MOLASSES, 185a  
 MOLECULES, degradation, 57m  
 MOLLUSKS, 9o  
 MONDOR'S DISEASE, 107o  
 MONONUCLEOSIS, INFECTIOUS, 51t, 99s, 111s; diag., 111t  
 MONSTERS, cephalic, 138a  
 MOORE, SIR NORMAN, 48k  
 MOSQUITOES, 23t, 205m, 214e; eradication, 56w, 77d,o, 177l  
 MOTION SICKNESS, ther., 39u  
 MOUTH, bacteriol., 94g,j, 120f, 133m; can., 15-1, 101t; dis., 15p, 52p, 74e,s, 85p, 133k; hemorrh., 213i; surg., 74q,r, 133p,v, 134e, 187k; tum., 74v  
 MOUTH WASHES, 216d  
 MOVEMENTS, 59t; disorders, 208k; involuntary, 166k  
 MUCINASE, 205q  
 MUCOUS MEMBRANES, dis., 147d, 102c  
 MURDER, 134p  
 MUSCLES, 200e; abnorm., 66j; anat. & histol., 154g,h, 183e; atrophy, 111-1; birefringence, 154g; blood supply, 3b; chem., 4s, 31p, 154j,k, 181u,v, 182a; contractions, 149n, 154f; dis., 61p; eff. of drugs on, 141a; exam., 99h; extracts, 54t; innerv., 125p; pathol., 10g; peroneal, 66k; physiol., 3b,f, 61p, 120r, 154d,f,i,j,k, 183e; rectus abdominis, 35p; scalenus, 111g; striated, 129t; subclavian, 166u; tonus, 154e; trochanter, 126j; wds. & inj., 200q  
 MUSCONE, 82n, 183o  
 MUSEUMS, in France, 108a  
 MYASTHENIA, 148i  
 MYCOSIS, 29p; cutaneous, 11o, 89n; fungoides, 20-1, 159w  
 MYELITIS, 30q  
 MYOCARDITIS, 51p; in pregnancy, 94m  
 MYOPIA, ther., 211  
 MYOSITIS, epidemic, 100g  
 MYTHOLOGY, 207k  
 NAILS, dis., 20r, 191-1  
 NAPHTHALENE, 133d,e  
 NAPHTHALENESULFONIC ACIDS, 53a  
 NAPHTHOQUINONES, 69j  
 (X-NAPHTHYL THIOUREA, tox., 120s, 216k  
 NARCOTICS, 119w; eff., 208m  
 NASOPHARYNX, 160i; dis., 39j, 141v, 213m; hemorrh., 167s; pathol., 50a  
 NATIONAL HEALTH SERVICE ACT, 26g  
 NAVAL MEDICINE, 19m, 153p; venereal dis., 151v; wds. & inj., 150j  
 NECK, dis., 74f; wds. & inj., 167r  
 NEEDLES, 47q, 128b, 198t, 209k  
 NEGROES, 11g, 77e  
 NEOANTERGAN, 113m  
 NEPHRITIS, 40j; diag., 67p; glomerular, 113g; in inf. & child., 212r; ther., 127s  
 NERVENSEN, 14t  
 NERVES, acoustic, 41m, 116s, 166f; cranial, 176c, 181o; degen., in, 116d,i,q,t; lumbar, 164o; mandibular, 187p; motor, 19w, 181p; optic, 63g, 209t; peripheral, 44n, 73w, 115v, 192c; sacral, 164o; sciatic, 7a; sensory, 19w, 61w; spinal, 65q; splanchnic, 166a; staining, 1o; temporal, 181q; transplantation, 116d; vagus, 35a, 72-1,m,n, 83b, 105s, 108n, 110r, 120v, 121k, 1, 141-1, 165r, 181h, 203-1, 204u; vasomotor, 112u; zygomatic, 181q  
 NERVOUS SYSTEM, 24k; abnorm., 166j; anat. & histol., 6w, 81d; dis., 29p, 33u, 41-1, 55b, 61p, 62a, 94j, 115u, 156d, 157i, 201t, 202-1; eff. of drugs on, 6f, 10h, 120m,r, 121a,n, 181q, 214m,v; embryol., 8o; pathol., 116f, 202i; physiol., 155d, 176k; surg., 117c, 151g, 165u, 167b,e,g; tum., 116h  
 NERVOUS SYSTEM, SYMPATHETIC, dis., 106m, 137o, 197b; eff. of drugs on, 53i, 55p, 72a, 121k,i; physiol., 61w, 91t, 147c, 156d, 181h; surg., 72w  
 NEURALGIA, facial, 151,k; trigeminal, 45e, 97f, 168a  
 NEURITIS, multiple, 23q, 156j, 201m; optic, 63r, 98q, 104o, 139c  
 NEUROGLIA, 182d; staining, 24n, 116n  
 NEUROLOGY, congresses, 147o  
 NEURONS, 3k, 1, 129g, 147c  
 NEUROSES AND PSYCHONEUROSES, 27d, 38j, 61c, 94w, 156g, 157e; anxiety, 139k, 143f, 203b; cardiac neuroses, 61v; diag., 202-1; etiol. & pathogen., 35u; in armed forces personnel, 26d, 61i, 94k, 95a, 151p,q, r,s,t,u, 152f, 153r, 155s, 157g; in naval personnel, 151p,s; indust. & traumat., 45t; ther., 92e, 96k, 202-1  
 NEUROSYPHILIS, compl. & seq., 209t; ther., 38s, 41p, 61-1, 128g  
 NEVI, 17m; pigmented, 75t; ther., 46m  
 NICKEL, catalytic action, 58t; oxide, 186p; spectroscopy, 52t; tox., 21v  
 NICOTINE, determ., 52v  
 NICOTINIC ACID, 55v, 57o, 60r, 171u, 173h; eff., 69o, 95f 100a  
 NITRATES, 185o  
 NITRO COMPOUNDS, 121k, 1,m,n,p, 205w  
 NITROBENZENE, 82u  
 NITROGEN, in yeast, 58n; metab., 23k, 125w  
 NITROGEN TRICHLORIDE, 98b  
 NITROPHENOL, eff., 69i  
 NITROSOPHENOL REACTION, 120d  
 NITROTOLUENE, tox., 96j  
 NODES, juxta-articular, 165k  
 NOISE, 28e  
 NOMADS, 11j  
 NOMENCLATURE, 104a, 144f  
 NOSE, bacteriol., 201o; can., 90-1; deform., 65f; dis., 21k, 143-1, 159f,r; filters, 207o; fractures, 142a; hemorrh., 28b, 158p; obstruction, 135b; pathol., 158v; septum, 64r, 158i; surg., 64t, 141v, 158j, 201e  
 NUCLEINS, 130b, 131o,p,q  
 NUCLEOPROTEINS, 9v, 155m, 186n  
 NUREMBERG LAWS, 117k  
 NUREMBERG TRIALS, 25q  
 NURSES AND NURSING, 22e, 36t, 90i, 101-1, 102b, 117p,r, s, 118e, 123k, 157o, 163f, 194s, 208t, 209m; conferences, 209n; educ., 62i, 157m,g; in Dominican Republic, 157o; in Greece, 117p; military & naval, 154a; pub. health, 62j, 117s, 123k, 208k  
 NUTRITION, 9o, 18e, 66w, 123c, 133o, 153u, 187b, 194g; disorders, 32r, 65w; exper. studies, 5g,s, 18d, 51f, 172h in Argentina, 40g; in Basel, Switz., 32n; in Middle East, 101a; research, 80g

- NUX VOMICA, 154u; assay, 119t  
 NYSTAGMUS, 121s, 180l, 1  
 OBESITY, 451, 149d; etiol. & pathogen., 135r, 148o; in inf. & child., 200l  
 OBSTETRICS, 39w; hist., 45m; in U. S., 48k  
 OCCUPATIONAL THERAPY, 12n, 210t; for tuberculous patients, 77u  
 OIL, 6c; volatile, 132g  
 OINTMENTS, 77j; bases, 215h; ther., 210d  
 OLD AGE, 3d, 140f, 142r; dis., 24p, 38p, 72q, 94v, 170b; pathol., 44u, 86d, 1, 109p, 183c; surg. in, 41m  
 OLIVE OIL, 215t  
 OMENTUM, dis., 146n  
 ONIUM COMPOUNDS, 6d  
 OPHTHALMALOGY, 34d; hospitals, 157r; progress, 65h  
 OPTIC CHIASM, tum., 212t  
 OPTICIANS AND OPTOMETRISTS, 63u, 210n  
 OPTICS, 3p, 64d  
 ORBIT, dis., 40-l; pneumatocele, 63f; surg., 124m; tum., 64k; wds. & inj., 167h, 1  
 ORGANS, extracts, 81i; weight, 91, 411  
 ORTHOPEDICS, 186o, 204h, 214a; apparatus, 197o; congresses, 146i; in East Africa, 168r  
 ORTHOPTICS, 64c, 118a  
 OSCILLOSCOPE, 58t, u  
 OSLER, WILLIAM, 97a  
 OSMOSIS AND PERMEABILITY, 161v; cell permeability, 96o  
 OSTETIS, deformans, 202-l; fibrosa, 25-l; prev., 145u  
 OSTEOARTHRITIS, 12k, 198a  
 OSTEOCHONDRITIS, deformans juvenilis, 204g  
 OSTEOMYELITIS, ther., 42u, 110r, 126g  
 OSTEOSCLEROSIS, fragilis, 63g  
 OTITIS MEDIA, 201e; acute, 38p; compl. & seq., 48o; in inf. & child., 137n; ther., 64v  
 OTORHINOLARYNGOLOGY, progress, 34w, 40p; surg. in, 158t, r; ther. in, 20v, 141u  
 OTOSCLEROSIS, 158a; ther., 45k  
 OUTPATIENT DEPARTMENT, 192p, r  
 OUABAIN, ther., 101q  
 OVARY, 8t; anat. & histol., 2o; can., 125k; cysts, 34o, 175u; dis., 8t, 46e, 201p; hormones, 9a, 47u, 82e; ther., 19f, 108r; transplantation, 2-l; tum., 34o, 137f, 139b, 145t  
 OVULATION, 2n, 9b, 148s, 174r, v  
 OVUM, 1g  
 OXALATES, 134k; eff., 162b, 171m  
 OXIDASE AND PEROXIDASE, 53g, 59j  
 OXIDATION-REDUCTION, 132b, 154p, 162i  
 OXYGEN, consumption, 4d, 8g, 31s, 91g, 110d; deficiency, 6k, 36d, 53-l, 109v, 142a, 180t; pressure, 8h; ther., 50o, 94h  
 OXYURIASIS, 97d  
 OYSTERS, 9o  
 PAIN, etiol. & pathogen., 156o; ther., 45s, 156o, 198b, 206e  
 PALATE, 198q; anat. & histol., 85q; cleft, 47p, 74p, 135f; cysts, 15n; osteomyelitis, 15i  
 PALLIDINE, 191u  
 PALPATION, abdominal, 73o, 139h  
 PALUDINE, 93f  
 PAN-AFRICAN CONGRESS ON PREHISTORY, 177d  
 PANCREAS, anat. & histol., 1e; calculi, 76e, 98p; can., 88k, 197-l; cysts, 40k, 50l, 147n; dis., 24d, 74j; enzymes, 91k, o, 182j; physiol., 30c, 91g; surg., 43j, 76e; tum., 43k  
 PANCREATITIS, 48t, 49a, 189p; compl. & seq., 49b; diag., 47v, 189q; pathol., 48u; ther., 49c  
 PANTOTHENIC ACID, 66q  
 PAPAIN, eff., 182f; tox., 182h  
 PAPAVERINE, ther., 156p  
 PARALYSIS, bulbar, 37o; compl. & seq., 74b; etiol. & pathogen., 61p; familial periodic, 99n; in fowls, 80f; oculomotor, 118m; phrenic, 97-l; puerperal, 136e; sciatic, 136s; ther., 44o, 102m  
 PARALYSIS, GENERAL, ther., 27j, 146b  
 PARASITES, 176o  
 PARATHYROID, dis., 90q, 95m; extract, 102c; insufficiency, 24s, 71t  
 PARATYPHOID, ther., 179j  
 PARAURETHRAL DUCTS, 190o  
 PAREIRA, 21b  
 PARKINSONISM, ther., 166-l  
 PARONYCHIA, ther., 145p, 149p  
 PAROTID GLAND, tum., 39t  
 PASTEUR, LOUIS, 29j, k  
 PATHOLOGY, 39b; in U. S., 66d; laboratories, 197v; teaching, 154n  
 PEAS, 87n  
 PECTIN, 131v, 132a, b, 162r, 185q  
 PEDIATRICS, 150d, 212g; clinics, 198u; congresses, 213e; in Spain, 212h  
 PEDICULOSIS, 124h  
 PELLAGRA, blood in, 100u; in inf. & child., 66m  
 PELVIS, dis., 149j; exam., 190p; surg., 75n; tum., 73a  
 PEMPHIGUS, neonatorum, 138i  
 PENICILLIN, 54k, 57f, 67s, 68w, 102n, 130l, 143r; admin. & dos., 67k, 1, 85-l, 95p, 104b, 133k, 148t, 149h, 188s, 205p; determ., 26v, 215m; eff., 22t, 54t, 94j, 109j, 137r, 166v, 170e, 175o, 178a, 180g, 181f, 198r, 214m; preservation, 149m; prod., 53m, 114c, 162q, 180f, v, 192w, 193a; stability, 76u, 205n; standard, 130c; ther., 43p, 56n, 62i, 73t, 94e, 1, 95a, 105b, 141p, 160m; tox., 171, 27j, 56a, 94-l, 119c, 156h, 188t, 202a, 203a  
 PENIS, blood supply, 170t; can., 26e; tum., 29r  
 PENTANE, eff., 54s  
 PENTANOL, 132-l  
 PEPTIC ULCER, 88-l, 143h, 165d; blood in, 105p; can. & peptic ulcer, 88k; diet in, 47s, 48a, 139e; epidemiol. & statist., 52o, 195j; etiol. & pathogen., 125f, 126e, 149d, 195j; exper., 60a, 144j; gastroscopy, 18i; hemorrh. from, 48a, 93r; in inf. & child., 42t; perforation, 36m, 96h, 142l, 146j; recurrence, 18k; roent., 164k; surgical ther., 35a, 43j, 72k, 1, m, n, 101p, 110r, 126e, 165r, 203-l, 204u; ther., 46s, 73-l, 96n, 100q, 110n, 125f, 203o  
 PEPTIDES, 54f  
 PERCEPTION, 110f, 123i  
 PERCUSSION, sternal, 33a  
 PERFUME, 161q  
 PERIARTERITIS, nodosa, 38v  
 PERIARTHRITIS, scapulohumeral, 165g  
 PERICARDITIS, 109s; adhesive, 96b  
 PERICARDIUM, cysts, 75e; for. bod., 75e; surg., 145p  
 PERINEPHRITIS, ther., 170v  
 PERIODATES, 53r  
 PERIODICALS, in Germany, 52r  
 PERIODICITY, 154o  
 PERIODIDES, 3-l  
 PERIODONTITIS, 13v; exper., 96w; ther., 16q, 188m  
 PERIODONTIUM, 34i, 85o; anat. & histol., 94o, 96a; pathol., 205s  
 PERIPHERIN, 211d  
 PERIPOLOGENIN, 83i  
 PERTONEUM, tuberculosis, 30b; tum., 125b  
 PERTONITIS, 147d; compl. & seq., 67m; etiol. & pathogen., 165r; pneumococcic, 67d; streptococcic, 51p  
 PERSONALITY, 35n, 122l, 135v, 207k  
 PFANNENSTIEL INCISION, 103g  
 PHAGOCYTES AND PHAGOCYTOSIS, 112i  
 PHARMACOLOGY, 49o; progress, 68-l; teaching, 119j, k  
 PHARMACY, 162j, 215e; in W. Africa, 68j; legislation, 119i; teaching, 68w, 119q, g, h  
 PHARYNX, dis., 74g; hemorrh., 28b  
 PHASEOLUS, 155a  
 PHENANTHEROLINE, prep., 82c  
 PHENOL, alkylation, 132u

- PHENOLS, 216i; eff., 68r  
 PHENYLETHYLENE, 55d  
 PHLEBITIS, 107o; ther., 41h, 107o  
 PHLEBOTOMUS, 177a  
 PHLOXINE, 17v  
 PHOSPHATASE, 1e, 3-l, m, 7f, g, o, 17f, 86q, 155g; determ., 7e, 60f, 94t, 86s, 174q  
 PHOSPHOMONESTERASE, 5j, 53i  
 PHOSPHORUS AND PHOSPHORUS COMPOUNDS, 82o; determ., 181u; eff., 58i, 59p, 176j; in diet., 174f; metab., 95m  
 PHOTOGRAPHY, 207a, h; apparatus, 206w; medical, 90b, 206u, v  
 PHYLOCLADUS, 132g  
 PHYSICAL EDUCATION AND TRAINING, 103q  
 PHYSICAL EXAMINATION, of inf. & child., 197-l; periodic, 150a  
 PHYSICAL THERAPY, teaching, 99b  
 PHYSICIANS, 29h, 45i, 138p, 195o, 203g, 206k; in Germany 25q, 33m; in Poland, 134p; in U. S. 114f; refugee, 141m; supply, 99a; women, 33m, 197w  
 PHYSIOLOGY, exper., 121t; teaching, 42q  
 PHYSOSTIGMINE, eff., 91m  
 PIGMENTATION, 8c, 53w, 56g, 207e; cutaneous, 4j, 181t; metallic, 169i  
 PILLS, 215r  
 PINEAL GLAND, tum., 72p  
 PINS, surgical, 207w  
 PINTA, ther., 77h  
 PIPERAZINES, prep., 133a  
 PIPERONYL BUTOXIDE, 131d  
 PIROPLASMOSIS, immu., 175t  
 PITUITARY BODY, 65w; anat. & histol., 26q; excis., 21, 4-l, 86c, f, h, k, 114m; irradiation, 56i; physiol., 28p, 76q, 86i, 104r, 118b, 148s, 174s; secretion, 41, m, 58h, 112q, 176t; surg., 159b; tum., 40f, 161c, 168c  
 PITUITARY PREPARATIONS, eff., 2a, 4j, 58h, 86f, h, j; tox., 86e  
 PITYRIASIS, rubra pilaris, 135k, l  
 PLACENTA, 183-l; adherent, 137i; anat. & histol., 5m; blood supply, 5m; circumvallata, 41b; expulsion, 42c; hemorrh., 137v; praevia, 25v, 96a, 137i, 190s; retained, 80j, k  
 PLAGUE, ther., 77i  
 PLANKTON, 56-l  
 PLANTS, 56g, dis., 154v, 162k; physiol., 154o  
 PLASMOCHIN, prep., 183p  
 PLASMODIUM, gallinaceum, 23f  
 PLASTICS, 186r  
 PLETHYSMOGRAPHY, 141d  
 PLEURA, pathol., 29a; tuberculosis, 43o, 79m; tum., 77v  
 PLEURISY, adhesive, 97-l; diag., 103a; with effusion, 38b, 108k, 195i  
 PLUMBAGOL, 53i  
 PLUTONIUM, radiations, 58c  
 PNEUMOCEPHALUS, 167i  
 PNEUMOCOCCI, antigens & antibodies, 112c; infections, 67d, 193g; types, 104-l  
 PNEUMOCONIOSIS, 40d, 149c; diag., 107c, 169a, 200b; etiol. & pathogen., 147a; pathol., 194a  
 PNEUMOLYSIS, 169q  
 PNEUMONIA, 41b, 45g, 93j, 112j; compl. & seq., 198c, 199a, 208j; etiol. & pathogen., 46k; exper., 112b; immu., 23, 119o; in inf. & child., 139n, 160-l; ther., 32b, 94c, d, 139d, 203b; vaccines, 119o  
 PNEUMONOLYSIS, 78a  
 PNEUMOPERTONEUM, 30i, 169i, t  
 PNEUMOTHORAX, 25g; ther., 78b, 125f, 169q  
 POIKILODERMA, atrophicans vasculare, 17c  
 POISONS AND POISONING, 98-l; exper., 54h; metallic, 41b  
 POLIOMYELITIS, 22u, 40n, 42g, 64q, 92-l, 94q, r, 101w, 102f, g, h, 200m, 204o, 216n; balbar, 28j; compl. & seq., 40o, 187a; diag., 45e, 94a, 102h, 213w; epidemiol. & statist., 40n, 70i, 100p, 145r, 204o, p, 208q; exper., 23b; hist., 216v; in animals 175w; ther., 44i, 102h, i, 104n, 165b; trans., 94q, 95c, 107o, 214e; virus, 98f  
 POLITICS, 49n  
 POLLEN, 118v  
 POLYCYTHEMIA, 57i  
 POLYDACTYLIA, 9i, 53d  
 POLYMERS, 196c, r  
 PONS VAROLII, anat. & histol., 7r; pathol., 157c  
 POPULATION, 123o, 179p, q  
 PORPHYRIN AND PORPHYRIN COMPOUNDS, 48e, 69m; eff., 109c  
 PORTAL VEIN, tum., 201v  
 POSTURE, 47k, 76q, 108h, 142r  
 POTASSIUM, determ., 56d; eff., 54d, 141a; metab., 3e  
 POTATOES, 55q, 173q  
 POULTRY, 87i  
 POVERTY, 123q  
 POWDERS, 197g  
 PRECIPITIN, formation, 4p; reaction, 4o, 8i-l, m  
 PREGNANCY, 209h; age in, 8r, s, 29q; blood in, 51p, 66p, 99q; compl., 20n, 67q, 93h, 94m, 161f, 190q; heart in, 38s, 94m, 138f; in animals, 171i; diet in, 20b; ectopic, 36o, 143a; eff. of irradiation, 56i; kidneys in, 136u, v, 148i; liver in, 57o; metab. in, 161f; multiple, 8s, 103f, 137w; psychol. aspects, 161k; roent., 138a; surg. in, 104g, 137i, l, m, v; teeth in, 85c; toxemia, 25v, 96n, 103b, 201u; tum. complicating, 18w, 42b, 75j, 137a, 138d  
 PREMNA, integrifolia, 120g  
 PRESCRIPTIONS AND PRESCRIBING, 119i, 120p, 191b, c, d  
 PRESSURE, regulation, 4u  
 PRIAPISM, 25f, 109r, 170k  
 PRISONS AND PRISONERS, 78j; in Ger., 19n  
 PROCAINE AND PROCAINE COMPOUNDS, eff., 121n; ther., 119c, 149-l  
 PROFESSIONS, 33o  
 PROSTATE, 8r; can., 27p, 29a, 41e, 170r; dis., 48e, 139f; hypertrophy, 170b; surg., 36q, 42h; tum., 65v, 170p  
 PROSTATECTOMY, 127r  
 PROSTHESES, 148f  
 PROSTIGMINE, eff., 91m  
 PROTAMONE, eff., 173m, 174t  
 PROTEINS, 8i-l, m, n, 84e, h, 154j, 186o, 193b, d, 216f; determ., 68o; eff., 177v; in diet, 3o, 18j, 31f, 51d, 58m, 108i, 115h, 130k, 172c, q, 173h; metab., 109d; precipitation, 24b; regen., 56o; sources, 142a; ther., 68w, 136e  
 PROTHROMBIN, 18t, 99j; admin. & dos., 106m  
 PROTONS, 58s; sources, 13d  
 PROTOPLASM, 1u  
 PROTOZOA, 5e, 9v, 10v  
 PRUNUS, persica, 155i  
 PRURITUS, ant., 103n, 125s; vulvae, 125s  
 PSEUDARTHROSIS, ther., 37s  
 PSORIASIS, 29d; ther., 51g  
 P-SUBSTANCE, 211g  
 PSYCHIATRY, 28g, 61g, 139n, 155q; congresses, 147o; in U.S.S.R., 155r; in World War II, 61e, f, 117u; progress, 39i  
 PSYCHIC RESEARCH, 158w  
 PSYCHOANALYSIS, 70v, w, 117f, g, h, 155s; technic, 126s  
 PSYCHOLOGY, 33k, 117h, 122f, g, l, v, w, 123a; comparative, 115o; exper., 99c, 122q, r, s; indust., 22j, 122-l, m, p, q; med. & psychol., 122b  
 PSYCHOTHERAPY, 37a, 61h  
 PUBERTY, 8w  
 PUBLIC HEALTH, 70s, u, 71c, 123n, o, p, q, 190v, 216o; admin., 14j, 123n, 142p; educ., 123-l; in France, 146g; in Georgia, 103k; in Gt. Brit., 209b; in Ireland, 92i; in Kentucky, 123s; in Texas, 111u; in U.S.S.R., 97n; programs, 123t  
 PUERPERAL INFECTION, ther., 51-l, 62q, 137a, 208v  
 PUERPERIUM, blood in, 181a; compl., 105o, 137e, k;

- hemorrh.,197u  
 PULSE, exam. & recording of,37n  
 PUPILS, diagnostic significance,210p; dilatation,147u  
 PURPURA, 42d; haemorrhagica,20j,o,175f,195k,198s,  
 212t; Schönlein-Henoch,136i  
 PVM (PNEUMONIA VIRUS OF MICE), 112b  
 PYELOPHORITIS, 127s,w  
 PYGMIES, 11g  
 PYLORUS, hypertrophy & stenosis,93k,142w,143j;  
 obstruction,28w  
 PYODERMA, 17n,203v  
 PYONEPHROSIS, 138g  
 PYRAMIDAL TRACT, 116c  
 PYRAN, 54p  
 PYRAZINE, 131t,u  
 PYRETHRUM, 131d,209m; eff.,177-1  
 PYRIDINE AND PYRIDINE COMPOUNDS, 82u,185n;  
 eff.,120r  
 PYRIDOXINE, 65a  
 PYRIMIDINES, 132c  
 PYROCATECHOL, 185j  
 PYROGENS, 68g,103d,215u  
 PYRONES, 131  
 QUACKERY, 10q,79a  
 QUARANTINE, 62-1  
 QUEBRACHITOL, 55r  
 QUICK TEST, 32k  
 QUINACRINE, eff.,92c  
 QUINCKE, HEINRICH IRENAEUS, 142m  
 QUINIDINE, tox.,195k  
 QUININE, 209o; tox.,93h,u  
 QUINOLINE AND QUINOLINE DERIVATIVES, 82i;  
 metab.,132k  
 QUINONE, 183a  
 RABIES, epidemiol. & statist.,123h; immun. & vaccine  
 ther.,98c,123h,193e; in Venezuela,79v  
 RACES, 138m,207j  
 RADIATIONS, 13b,115b; absorption,13b; detectors,  
 62s; eff.,10e,58g,115k,163o,u; injurious eff.,3g,  
 5b,8k,50o  
 RADIOACTIVITY, 13b,16h,54o,58v,68m,85s,138s,144p,  
 174-1,205f; ther.,164s,t,201g  
 RADIOLOGY, 98r; in France,165c  
 RADIOTHERAPY, 74e,76q,144p,164p,165a,202e; in  
 dermatology,164i  
 RADIUM, ther.,210c  
 RADIUS, dis.,107s; fractures,41w  
 RAGWEED, 10q  
 RAMAN EFFECT, 83p,q  
 RANGEFINDING, 22d  
 RAPOANNE, synthesis 183u  
 RATIONS, 150k  
 RATS, extermination,11q; parasites,177h  
 RAYNAUD'S DISEASE, 24h  
 RAYOPAKE, 68r  
 RECRUITS, 151o,158r  
 RECTUM, abscess,39r; anastomosis,208c; can.,47t,  
 164i,204a,b; dis.,74i; embryol.,204d; for. bod.,  
 39r; prolapse,35d,72w; surg.,18p  
 RED CROSS, 52-1,157t  
 REFLEX, cardiac,214-1; conditioned,181p; esophageal,  
 182b; gastrointestinal,92f; grasping,147s; oral,  
 182a; plantar,98b,147q; pressor,214-1; propriocep-  
 tive,121s  
 REFRIGERATION, 87k,p  
 REFUGEES, 66g,141m; in Eastern Europe,142k  
 REGENERATION, 2h,1,3u,7b,8e,17j  
 REHABILITATION, 38p,39w,74m,142b,150o,156h,  
 167q; in United Kingdom,107q  
 REHBERG TEST, 106a  
 RETTER'S DISEASE, 94-1,101i  
 RELAPSING FEVER, diag.,106b; in inf. & child.,160k;  
 prev.,114o  
 REPRODUCTION, 2r,s,4k,5a,5b,59h,101n,172a; exper.  
 studies,6r  
 RESEARCH, 114i,r; industrial,114r; medical,93p  
 RESIN ACIDS, 185i,g  
 RESINS, acrylic,16p; phenylene sulfide,133b  
 RESPIRATION, 74r,108f,154r; artificial,75f,200n;  
 disorders,55r,213n; eff. of drugs on,5a; exper.  
 studies,9w; hyperpnea,6i; physiol.,31t,110f,121i  
 RESPIRATORY TRACT, dis.,70m,p,102d,111t,158a,  
 163-1,191i,199a; stricture,31r  
 RESPIROSCOPE, 60u  
 REST, 45b,78r,168e,215b  
 RESTAURANTS, 140h  
 RESUSCITATION, 6s  
 RETICULIN, 170k  
 RETICULOENDOTHELIAL SYSTEM, 20-1,180h; dis.,  
 137a; physiol.,32d  
 RETINA, blood supply,63e,201u; detached,63c,d;  
 embryol.,7h,96c; innerv.,4v; tum.,64m,n  
 RETRACTORS, 35r  
 RHEUMATIC FEVER, 124d,183d; cardiac compl.,  
 23m,27h,44v,201h,q; epidemiol. & statist.,93s; etiol.  
 & pathogen.,113g; prev.,67k; ther.,23m,45a,91t  
 RHEUMATISM, 183e; compl. & seq.,102j,109i,198i;  
 diag.,44r,144t; etiol. & pathogen.,148i; in inf. &  
 child.,160p,q; pathol.,129p; ther.,12n,21c,38d,43e,  
 46q,95i,126v,160q  
 RHINITIS, 158v,195g; atrophic,159f; ther.,39h,92-1  
 RHINOPHYMA, pathol.,96s; ther.,96s  
 RHODIUM, isotopes,205f  
 RHODOPHYCEAE, 56g  
 RHUS, tox.,17o,184c,191i  
 RHYTHM, 10c  
 RIBOFLAVIN, 3v,55v,66q,83b,107i,172a; metab.,180s  
 RIBS, abnorm.,111g; tum.,108b  
 RICE, 6a  
 RICKETS, 29s  
 RICKETTSIA, 179a  
 RICKETTSIAL DISEASES, 54i,94j,196b; epidemiol. &  
 statist.,113r  
 RINDERPEST, blood in,171g  
 RINGWORM, 17g; epidemiol. & statist.,24t  
 ROENTGEN RAYS, 54m,72g; apparatus,54n,72c,e,  
 126m; diag.,198r,199h; eff.,2v,2w,3h; injurious eff.,  
 8j,56i,59v,116h,147c,149p,201i; physics,155e; tech-  
 nic,46p,58d,68r,72i,85w,109k,128a; technicians,72g  
 ROENTGENOGRAMS, 207a  
 ROENTGENOTHERAPY, dosage,54m  
 ROESCHACH TEST, 117k  
 ROSIN, 186-1  
 ROYAL MELBOURNE HOSPITAL, VICTORIA, 192k  
 ROYAL SOCIETY OF MEDICINE, LONDON, 59c  
 RUMEX, CRISPUS, 162i  
 RUMINATION, 172b,q,173s  
 SACRUM, tum.,201w,204e  
 SALICYL COMPOUNDS, acetylsalicylic acid,171i,215o;  
 eff.,189a; sodium salicylate,205f  
 SALIVA, 84-1,85a,f,86t,181e,206g; enzymes,135d  
 SALIVARY GLANDS, anat. & histol.,1c; dis.,74e,197i;  
 roent.,126-1; secretion,7f; tum.,85a  
 SALMINE, 57d  
 SALMONELLA, 53i,131j; antigens & antibodies,130o;  
 enteritidis,178g; infections,80c,136b,c; typhimur-  
 ium,160d  
 SALTS, eff.,130a; metab.,109f  
 SAMBUCUS, 162h,163a  
 SANATORIUMS, 145h,198p  
 SANTONIN, 131s  
 SAPROPHYTES, 92c  
 SARCOMA, 63-1; metastases,63-1; osteochondrosarcoma,  
 166q; osteosarcoma,200g; reticulosarcoma,65i,73a,  
 81o  
 SASSAFRASS, 81w  
 SAVAGE, RICHARD, 61b  
 SCAB, ther.,175j  
 SCABIES, 124h; ther.,17q,37-1,95w



- SCALP, wds. & inj., 167a  
SCAPHOID BONE, CARPAL, 47-1; fractures, 201c; wds. & inj., 47-1  
SCAPHOID BONE, TARSAL, fractures, 201c  
SCAPULA, dis., 137k  
SCARLET FEVER, 137e; compl. & seq., 36p, 165r; heart in, 28s; immun., 92s; mortal., 30w; ther., 95b, 139d  
SCHISTOSOMA, 41q, 130v  
SCHISTOSOMIASIS, 111c, 129o; diag., 111c; ther., 36f; trans., 77j  
SCHOOLS, health educ., 123g, 128o; in France, 42k; in Portugal, 42k; in Spain, 42k; medical service, 26b, 35d, 103p, q, 138a  
SCHOOLS, MEDICAL, hist., 20u, 51b; in France, 192a; in U. S., 98v  
SCHÜLLER-CHRISTIAN SYNDROME, etiol. & pathogen., 197d  
SCIATICA, 45-1; diag., 199-1; etiol. & pathogen., 104k; progn., 91r, s; ther., 104k, 153u, 199-1  
SCIENCE, 12b, 57j, 58a, 59a, e  
SCLERA, surg., 64n  
SCLERODERMA, 43f, 139q; compl. & seq., 18p  
SCLEROSIS, disseminated, 24w, 39e, 95f, 124c  
SCOPOLAMINE, eff., 121a  
SCROTUM, dis., 129o; gangrene, 93f; wds. & inj., 171p  
SCURVY, in inf. & child., 97g, 213c, d, e  
SEASONS, 62o  
SEAWEED, 57-1  
SEBACEOUS GLANDS, 1r; physiol., 9s  
SELENIUM, tox., 210b  
SELLA TURCICA, surg., 156k  
SEMEN, 175f, 207m; enzymes, 174n, q  
SEMI-LUNAR BONE, Klenböck's dis., 46c  
SEMINAL VESICLES, dis., 27v  
SEMMELEWIS, IGNAZ, 51-1  
SENSATION, 72p  
SEPARATOR, 46b  
SEPTICEMIA, hemorrhagic, 171k; ther., 158m  
SERINE, eff., 4w  
SERODIAGNOSIS, 138o  
SERTOTHERAPY AND HEMOTHERAPY, 31h, 76s; accidents, 109m  
SERUM, 96f, 181d; immune, 61a, 193i  
SEWAGE, disposal & purification, 87g  
SEX, 81k; characters, 2o, 2r, 7d, 8v, 107l, 108f; differentiation, 1-1, 81k, 148n; educ., 19t, 128o; frigidity, 137p; perversion, 117f, 198d, 199k; reversal, 2t  
SHEEP, breeding, 174e; dis., 172h; feeds & feeding, 173i, 174e; parasites, 173s  
SHIPS, convoy, 152j  
SHOCK, 9w, 112d; obstetric, 199i; prev., 29n, 80c; \* surgical, 148e; ther., 31a, 80c, 93-1; therapeutic, 62h  
SHOULDER, dis., 74b, 137k, 165e; disloc., 148o; pain, 44s  
SHRIMPS, 6a  
SHWARTZMAN PHENOMENON, 159t, 181j  
SIDEROSIS, 194b  
SIGMOID, anastomosis, 208c; can., 47t  
SILAGE, 173o  
SILICOSIS, 31t, 34j  
SILVER, 83e; nitrate, 134b; titration, 154s; tox., 25b, 194b  
SINUSES, NASAL, dis., 21k, 95c, 159e, 203g; surg., 158k; wds. & inj., 167h  
SJOEGREN'S SYNDROME, 192c  
SKIN, abnorm., 17h; blood supply, 189c; can., 41j, 72b, 104j; chem., 9q; dis., 13n, 25e, n, 39v, 40u, 51e, 62o, 95o, 147d, 188s, 191t, 196t, 204f, 206u; for. bod., 175m; pathol., 33h, 65s; permeability, 114m; physiol., 6k, 10p; reactions, 141d, 188s; transplantation, 37r, 113k; tum., 63q  
SKRAUP REACTION, 184q  
SLAUGHTERING AND SLAUGHTERHOUSES, 172o  
SLEEP, physiol., 121i  
SMALLPOX, diag., 130d; immun., 153v; prev., 71b; vaccination, 34-1  
SOAPS, 186i; electric conductivity, 186k  
SOCIAL HYGIENE, 128p  
SOCIAL SERVICE, psychiatric, 61s  
SOCIETÀ ITALIANA DI CHIRURGIA, 125i  
SOCIÉTÉ INTERNATIONALE DE CHIRURGIE ORTHOPÉDIQUE, 148i  
SOCIETIES, MEDICAL, in France, 191v; in U. S., 191e, f; state, 49f, g  
SODIUM, 28d; amide, 8g; carbonate, 87a; chloride, 28r, 114v; fluoride, 141, 134t; fluoroacetate, 11q; glycerophosphate, 7o; lactate, 54a; metab., 3e; nitrate, 42e; pyruvate, 54a  
SOIL, bacteriol., 193f  
SOLUTIONS, iso-osmotic, 161v  
SOUNDS, 58i, 110h, 115f, 162t, 165c, 189j; diagnostic use, 191o; perception, 158a, r  
SOYBEANS, 56o, 87m, n, 171t; in diet, 32r  
SPACE, perception, 63m, 210h  
SPARTEINE, sulfate, 105h  
SPASM, ther., 93c  
SPECIALISM, 14o  
SPECIMENS, 8q, 17d, 124i  
SPECTROMETERS, 58t  
SPECTROPHOTOMETERS, 62v  
SPECTRUM ANALYSIS, 115d, 186g  
SPECULUM, vaginal, 199f  
SPEECH, 159k, l; defects, 156r, 159m, 192i, 207i  
SPERMATIC CORD, torsion, 93m  
SPERMATOZOA, 129d, 172d, i; counts, 197o; development, 115m; motility, 174i; staining, 174n  
SPHENARIUM, purpurascens, 5p  
SPHINCTER MUSCLES, Oddi's, 136e  
SPHYGMOSCOPE, 37n  
SPIDERS, 207g  
SPINAL CORD, 8q, 24m; anat. & histol., 2f; cysts, 41-1; dis., 73v; embryol., 7b, 24m; roent., 43r; tum., 166b; wds. & inj., 37-1, 165u  
SPINE, abnorm., 137q; anat. & histol., 175g; ankylosis, 198w, 199g; arthritis, 164g, n, v; blastomycosis, 48h; curvature, 36r; deform., 153u, 165e; dis., 73v, 183b, 189g; disloc., 166i; embryol., 129j; fractures, 117a, 166i; intervertebral disks, 35h, r, s, 166d, e; pathol., 86-1; roent., 44d  
SPIROCHAETA, recurrentis, 56b  
SPIROCHAETA PALLIDA, culture, 128e, h; staining, 180o; viability, 104b  
SPIROCHETOSIS, 80-1; renal, 27q; ther., 175p  
SPLEEN, 4p; abscess, 36c; dis., 74j; hemorrh., 113m; pathol., 147i; physiol., 57d; preparations, 1q  
SPLENOMEGALY, diag., 100k; in inf. & child., 113m  
SPOROTRICHOSIS, exper., 77p; ther., 44d  
SPOROTRICHUM, 189f  
SPRAYS, 197g  
SPRUE, 18k, 51n, 77n; diag., 127c; ther., 127c, 136m  
SPUTUM, disinfection, 45u; exam., 168e  
SQWILL, ther., 87a  
STAINS AND STAINING, 17v; blood staining, 36i, 155n; Gram staining, 182e; methods, 1o, 3o, 17u, w, 136-1  
STAPHYLOCOCCI, anatoxin, 145q; aureus, 43p, 68t, 178e; culture, 22t, 109j; infections, 27k, 95b, 105r, 165j, 198c; toxin, 22t, 51u  
STAPHYLOMA, of lungs, 27k, 156j, 165j  
STARCH, 85a, 114t  
STARVATION, 10k; in Ger., 52q; ther., 153k, l  
STATISTICS, 122s  
STERILITY, 34g, 190f; etiol., 197o; in women, 39u; ther., 174k, 204r  
STERILIZATION, surgical, 139i  
STERNUM, roent., 165i; tum., 75c, 166q  
STEROIDS, 19d  
STEROLS, synthesis, 184h  
STILLBIRTH, 8r  
STIMULANTS, 96j  
STOMACH, acidity, 43s, 91d, 195c; can., 18i, 34v, 36g, 37p, 44q, 48g, 89o, 95s, 98t, 136k, 163o, p, q, r, 196e;

- cardiospasm, 88t, 163s, 203m; contents, 76d, 136-1; dilatation, 212s; dis., 741, 92m, 144j, 170m; exam., 23j, 189r; excis., 73i; for. bod., 129s; function tests, 135s; gastroscopy, 203s; inflamm., 42b, 189s, 201n; innerv., 165r, 203-1, 204u; motility, 91h, i; pain, 91h, i; physiol., 72-1, 136f, 182a; pressure in, 136d; secretion, 24b, 88-1, 181e; surg., 44u, 47e, 73j, o, 89d, 107h, n, 109b, 145b, 189t; syphilis, 108c; tum., 88u, 146m; vulvulus, 96c
- STOMATITIS**, 13w; aphthous, 15q; diag., 92o
- STRABISMUS**, diag., 118j
- STREPTOCOCCI**, agalactiae, 171o; carriers, 201o; culture, 82t; hemolytic, 158a, 197n, 201o; infections, 84g, 137k, 193g
- STREPTOMYCIN**, 54k, 76t, 78h, 98c, 120u, 130a, 143r, 146u, 182s, 191u; determ., 28v, 141b; eff., 45u, 177r, 193q, 214m; prod., 114c, 161r; ther., 36b, 78h, 112t, 126q, 144r, 205h, j
- STRETCHERS**, 76p
- STRONGYLUS**, 11a
- STROPHANTHUS AND STROPHANTHUS PREPARATIONS**, 119u; eff., 195h; ther., 24g, 101q
- TROPHOSID**, 31v
- STRYCHNINE**, eff., 181q
- SUBMAXILLARY GLAND**, dis., 65f
- SUCCINIMIDES**, 184c; eff., 62g
- SUGAR CANE**, 25r
- SUGARS**, 216a; metab., 155-1
- SULFHYDRYL COMPOUNDS**, eff., 121h
- SULFIDES**, synthesis, 133b
- SULFONAMIDES**, 17g, 32u, 62u, 119n, 196g; admin. & docs., 145k; eff., 17p, 106p, 176o; pharmacol., 196s; ther., 29c, 80o, 94b, 140t, 144o, 146m; tox., 17g, 36-1, 79t, 170w, 195g, 210a, t
- SULFUR**, 21a; dioxide, 162e, 184u, 209u, v; in diet, 173c; ther., 103d
- SUNFLOWERS**, 171v
- SUPRAMID**, 63h
- SURAMIN**, 171i
- SURGEONS**, 90o
- SURGERY**, 37a, 39t, 99b, 124-1, 199f, 201i; blood in, 42j, 102a, 108p, 125c; congresses, 125i; hist., 126a; in animals, 80q, r; in inf. & child., 42-1; in old age, 72q; in psychiatric hospitals, 35i; metab. in, 98n; operating rooms, 48o, 90a; plastic, 25h, 35j, k, 147k, 74e, 98a, 110o, 204e, h; postop. care, 73r, 94a, 97t, 198j; postop. compl., 21m, 72v; preop. care, 36-1, n, 73r, 94a, 103d, 125w; progress, 32t, 62p, 200w; teaching, 49u; technic, 33g, 98b, 100j, 175v
- SURRA**, equine, 171q
- SUTURES**, 190k
- SWEAT**, chem., 17k, 1
- SWEAT GLANDS**, anat. & histol., 6m, 129b; dis., 156e; physiol., 105c, 188g; tum., 75a
- SYMPATHETICUS**, 40c, 112u, 147t, 214r; compl. & seq., 48i; lumbodorsal, 147r; paravertebral, 116r; pelvic, 95g
- SYMPHODIA**, 101i
- SYNCOPE**, 146f
- SYNDICAT NATIONAL DES MEDECINS DES HOPITAUX LIBRES DE FRANCE**, 191v
- SYNOVIAL FLUID**, 48i
- SYPHILIS**, 94a, 155w; congenital, 92n, 160q, 200g; diag., 192h; epidemiol. & statist., 128m; exper., 128k; hist., 144v; in inf. & child., 137j; serodiat., 25n, 95e, 128p, 191u; ther., 41n, o, p, 46v, 93d, 102q, 112s, 123s, 128i, n, 146-1, 149f, 188u
- SYRINGES**, 6p, 60t, 94v, 139i, 170n
- SYRUPS**, 215i
- TABES DORSALIS**, compl. & seq., 108v; osteopathy & arthrotherapy in, 34e; ther., 27i
- TACHISTOSCOPY**, 210q
- TAKATA TEST**, 32j
- TALC**, 72v, 200b
- TANKS, TOILET**, 207v
- TANNIN**, 54v; metab., 162n
- TANSY**, 148j, 163b
- TANTALUM**, 125q, 166q
- TAPEWORM INFECTION**, 131b; compl. & seq., 195-1
- TARSUS**, wds. & inj., 73k, l
- TATTOOING**, 146h, 204e
- TECHNETIUM**, 185v
- TEETH**, 15b, 83v, 84j, 85s; amalgam fillings, 113i, s; anat. & histol., 84v, 85f, p, t; bacteriol., 14k; caries, 13p, 14g, 14k, n, 10e, m, u, 84d, e, h, p, q, r, 85j, k, 86b, m, q, r, s, u, 134i, j, k, 187-1, 188k, 205v; chem., 85r; development, 13r, 14h, 15e, n, 16j, n, 85d, v, 86o, 89n, 114b, 133q, 135f, 187f, g, h, 188n; dis., 13r, u, 14t, 16h, 46c, 74u, 84g, n, 134a, 188d, e, f, k; enamel, 94-1, 85h, n, t, u, v, 187e; enzymes, 84t; exam., 85m; extraction, 13m, 52k, 74u, 134c, 187, p, r; hygiene, 141, 15n, 16a, j, 84r, 143s, 187i, j, 213j, 216d; malocclusion, 14d, 16d, 83t, u, w; mottled enamel, 94m, 134i; pathol., 84u, 85i, r, 86e; physiol., 16h; prosthesis, 13n, q, r, v, 14b, c, 15b, l, v, 74v, 133i, k, u, 134b, c, f, u, 135a, 187-1, o, s, u, w, 188i; reimplantation, 187i; roent., 85i, 133t; tum., 16b, 85u, 86b; wds. & inj., 15t, 86p
- TELLURIUM AND TELLURIUM COMPOUNDS**, 22b 10820 (ANALGESIC), 156s
- TENDONS**, rupture, 300q; surg., 46i
- TEMPERATURE**, coefficient, 68g; eff., 6t, 10b, c, 129b, 176-1, 185-1, 186c; variations, 32j
- TEMPERATURE, BODY**, 10a, 24c, 46e, 110p, 155d
- TEMPIO DEI MEDICI**, 143v
- TEMPORAL BONE**, surg., 158c
- TERPENES**, 62q
- TESTES**, abnorm., 47o; dis., 128a; irradiation, 8j; surg., 170d; syphilis, 170u; transplantation, 19i; tum., 30m, 170j; undescended, 93m
- TETANUS**, 29f, 113s, 142g; immun., 105t; ther., 50p, 107r, 109m, 126c
- TETANY**, in animals, 80t; in pregnancy, 93h, 149d; ther., 180j
- TETRAHYMENA**, 115g
- THALAMUS**, 180j
- THALLIUM**, tox., 38e
- THEOPHYLLINE**, 198-1, 207s
- THERAPEUTICS**, 49o, 207w
- THIAMINE HYDROCHLORIDE**, 56f, 66q, 87n, 109j, 172a, 182c; eff., 11n, 108s
- THIAZOLES**, 83d; eff., 182q, r
- THIOCYANATES**, 68c; stability, 131h
- THIONYL CHLORIDE**, 114v
- THIOPENTONE**, tox., 139a
- THIOSORBITOL**, eff., 120x
- 3,4-THIOPHENEDICARBOXYLIC ACID**, 132v
- THIOUREA**, 9t, 120o; determ., 174-1; eff., 4e, g, i, 7d, 9f, h, 43h, 57e, 172p, 173m, 174u, 181j, 182q, s, 214t; tox., 86n
- THIRST**, 106g
- THIXOTROPISM**, 120j
- THORAX**, dis., 74h; exam., 78a; surg., 45c, 49t, 106d, 127g, 151c, d, e, 169h; tum., 104d, 196r; wds. & inj., 125a, 167t
- THORIUM**, 57g, 205e
- THORON**, 57g
- THROAT**, infections, 16n, 39j, 157w, 158r, 159r
- THROMBIN**, in oral surg., 187k
- THROMBOPHLEBITIS**, 76-1, 170t; compl. & seq., 30j; ther., 199p
- THROMBOSIS**, 20t, 24e; blood in, 42i; caval, 30k; coronary, 96h, 110u, 203i; femoral, 201j; hepatic, 203e; hered., 66g; ther., 29s, 33a, 44c, 50t, 75s, 97g, 145n, 201r; venous, 145v
- THYMOL TURBIDITY TEST (MACLAGAN)**, 32j, 87u, v, 88a, 100t
- THYMUS**, 1g, 131o, 131p, q, 148i; can., 48h; cysts, 168m; dis., 117-1; hypertrophy, 213b; pathol., 69c
- THYROID**, 2w, 19c, 142d; aberrant, 72t, 75j; anat. & histol., 54b; can., 107u; dis., 27d, 39f, 74f, 99h, 110o, 126t, 213o; hyperthyroidism, 4h, 28u, 34b, 43b, 76h,



- 201s; hypothyroidism, 4e, g, 86n, 2130; pathol., 197e; physiol., 4c, 7c, 9g, 36c, 120a, 135f, 174m, t, u; preparations, 4d, 1740, 181s, 214t; surg., 65e, 75m; transplantation; 2e; tuberculosis, 73c; tum., 78m, 92m
- THYROXIN, 19j; eff., 3r, 10-1, 86f, h, 182c
- TIBIA, fractures, 117v; pathol., 86-1
- TICK FEVERS, 175r
- TIME, perception, 122h
- TINEA, ther., 143c
- TISSUE, 48n; chem., 3v, 58m, 990, 1310, 155j, 174-1; connective, 21g, 65n, 103t, 162c; culture, 3r, s, 7r, 8i, 53u, 193j; for bod., 209k; reaction, 139s; respiration, 114-1, 162b; sections, 7n, 17s, 18a, 27w, 59-1
- TOBACCO, dis., 11u, 53c
- TOMATOES, 154w
- TONGS, 117d
- TONGUE, can., 43p
- TONSILLECTOMY, 64q, 202r; compl. & seq., 38f; indications, 212e
- TONSILS, hemorrh., 159h; infections, 159f, s, 165f; tuberculosis, 66b
- TORTICOLLIS, 213m
- TORULA, 162d
- TORULOSIS, exper., 55g
- TOUCH, 5f
- TOXIN AND ANTITOXIN, 53j, 54g, 199m
- TÓXOID, 144t
- TOXOPLASMOSIS, 77p
- TRACERS, radioactive, 16h
- TRACHEA, embryol., 4v; physiol., 4v
- TRACHEOTOMY, 76n
- TRACHOMA, 97a; ther., 63f, 93d
- TRANSPLANTATION, 8e; technic, 35k
- TRAUMA, 42n, 138u
- TREMATODES, 131a
- TREMOR, 112a
- TREPHEMING, 21j, 124r
- TRICHINOSIS, 35u, 1190
- TRICHLOROETHYLENE, 194b
- TRICHOMONAS, 130j, u
- TRICHOMONASCUUS, 110
- TRICHOMONIASIS, ther., 172i
- TRICHOPTYSIS, 17m
- TRICHOSTRONGYLOSIS, 172h
- TRIDIONE, ther., 61h
- TRIGLYCERIDES, 184q
- TROPICAL MEDICINE, 33-1, 150t, 194i
- TROPISM, 46j
- TRUSSES, 45q, 60m, 208d
- TRYPANOSOMA, 5g; staining, 171c
- TRYPANOSOMIASIS, diag., 22s; in animals, 22r, 171k, 176b; trans., 130t
- TRYPARSAMIDE, tox., 98q
- TRYPTOPHAN, 53b, 570, 130k; eff., 134h
- TSETSE FLY, 177j, p
- TSUTSUGAMUSHI DISEASE, 151a; prev., 77q
- TUBERCLE BACILLI, 51u, 59m, 146g; culture, 43b, 82s, t, 193p; in urine, 148b; strains, 127i
- TUBERCULOSIS, 36-1, 117r, 163k; avian, 57w; blood in, 97-1; Calmette-Guérin immunization, 26a, 47f, 78m, 79d, 97k, l, 104j, 105j, 127k, l, m, n, 169r, 195t, u; clinics, 97j, 101r, 169r; diag., 31e, 37w, 78u, 206n; econ. & soc. aspects, 78q, 79m, 110v, 138r, 141-1; epidemiol. & statist., 26f, 78u; exper., 56a, 104e; gold ther., 79r; hered., 78w; immun., 97i; in inf. & child., 109q; in soldiers & veterans, 106v, 153m, 168b; indust. & traumat., 169g; mental aspects, 206m; military, 137g, 1590, 168-1; mortal., 71j, 169u; osteoarthritic, 105b; pregnancy & tuberculosis, 37c, 78m, 95e, 139g; prev. & control, 49s, 78-1, s, 90k, 142k, 168j, v, 169r, 216v; research, 140a; sanatoriums, 35r, 148c, 168r; ther., 31w, 36a, 37j, 60w, 78h, r, 119s, 121j, 140i, 144r, 161v, 169-1, 193g, 195r, s, w; trans., 101v; tuberculin reactions, 30t, 63k, 106v
- TUBERCULOSIS, + ULMONARY, 78j, 101g, 107h, 169a; artif. pneumothorax in, 78e, g, 79g, p, 109q, 169n, 169k, m, n, 200j; cavitation in, 75b, 79e, l, 126t, w, 1950; diag., 44k, 78c, r, 103v; hemoptysis in, 650; in inf. & child., 102n; pathol., 169e; roent., 101r; surgical ther., 50g, 78a, b, d, 79b, c, j, l, 145e, 168-1, v, 169j; ther., 79f, l, 97j, 102-1, 127h, 168d, e, f, g, i
- TULAREMIA, epidemiol. & statist., 98t; ther., 112s
- TUMORS, adamantinoma, 74w, 75k, 85u; adenoma, 92m, 146m, 161c; angioma, 42e, 64m, 116-1, 149t; angio-neuroma, 159g; astrocytoma, 156g; blood in, 66c; cells, 1q; cystadenoma, 85a; dermoid, 41-1, 124q; diag., 180p; embryoma, 67j, 104d; etiol. & pathogen., 149v; Ewing's, 77v, 201w; exper., 3t, 350; fibroma, 15k, 145t, 146t, 170m; fibromyxoma, 340; giant cell, 16f, 65v; 116b; hypernephroma, 370; in animals, 175d, u, 176-1; in inf. & child., 104d, 161c; lipoma, 76-1; lymphoblastoma, 65u; lymphoma, 49u; melanoma, 4s, 5r; metastases, 165h; multiple, 126-1; myeloblastoma, 17j; myeloma, 20-1, 99p; myoma, 165q; neurinoma, 43k; neuroglioma, 116k; oligodendroglioma, 208n; osteochondroma, 30j, 108b; osteoma, 64v, 86b; papilloma, 16b, 29r; phantom, 145-1; pigmented, 21f; polyp, 74r, 138d, 146m; pseudo-adenoma, 125b; radiother., 163u; seminoma, 170j; spongioblastoma, 116h; spongioneuroblastoma, 116k; teratoma, 2k, 28f, 30m, 204e; ther., 21e, 106c, 112m; xanthoma, 63q
- TUNGSTEN, isotopes, 114k
- TUSKS, 33i
- TWINS, 66k, 137f; abnorm. & dis., 61n, 78w, 160t, 212s; uniovular, 212j
- TYPHOID, 93f; bacilli, 55b, 58t, 76v; carriers, 126d; compl. & seq., 101j; etiol. & pathogen., 148r; in India, 93i; in inf. & child., 214b; in U. S., 149i; ther., 178c, 179j
- TYPHUS, diag., 71k; epidemiol. & statist., 151a; exper., 179a; eyes in, 63e; immun., 142j; prev., 104u
- TYROTHRICIN, 193p; eff., 54t
- UDDERS, dis., 1710, 175m; excis., 174p; inflamm., 176e, f
- ULCERS, compl. & seq., 41-1; ther., 92h, 107-1
- ULTRASONATOR, 189j
- ULTRAVIOLET RAYS, 57n; apparatus, 57n; eff., 9v, 69f, i
- UMBELLIFERAE, 162k
- UMBILICAL CORD, blood supply, 66p
- UNDULANT FEVER, 97g, 101d, 203h; diag., 21h, 139p, u; etiol. & pathogen., 80b, 112n; ther., 980, 139p
- UNIVERSITIES, 99a
- URANIUM, 187b; radiations, 58c
- UREA, 172c; determ., 9m, 17-1; eff., 185h; ther., 114v
- UREA PEROXIDE, 60g
- UREMIA, compl. & seq., 26k
- URETERS, abnorm., 170m, t; atresia, 1700; calculi, 25f, 43u, 125e, 128b, 196k; catheterization, 170w; dilatation, 128b; dis., 74k; mucosa, 170q; obstruction, 170w; surg., 170d; tuberculosis, 170q
- URETHANE, 98i
- URETHRA, calculi, 80m; can., 96m; dis., 74-1; diverticula, 96s; for. bod., 25a, 128b; rupture, 30s; wds. & inj., 127q
- URIC ACID, determ., 9m
- URINARY TRACT, calculi, 170a; dis., 45e, 104g, 165a; infections, 38w, 94-1, 111c, 169v, 170n; obstruction, 31e; tum., 170m; wds. & inj., 101c, 127p
- URINATION, disorders, 31e, 36q, 170b, 171p, 196g, 198m; incontinence, 61h, 62-1, 105i, 111q, 198i
- URINE, 182n; ammonia, 2120; bilirubin, 145d; chem., 66q; chlorides, 211m, q; exam., 212a, r; lead, 22c; methadon, 121e; muconic acid, 91b; penicillin, 140s, 170e; phenols, 91b; phosphorus, 91-1, 2120; pteroyl-glutamic acid, 140r; reaction, 99-1, m, 2120; sodium, 99e; sucrose, 92r; sulfur, 91b; suppression, 138g; urochrome, 91b
- UROLOGY, 18u
- UTERUS, 8u; adnexa, 47h, 107i, m; can., 49w, 50a, 93m,

- 111f, 118c, 148s, 164a, b, c, 190m, 204-1, m, n; cervix, 43q, 45s, 190q; contractions, 96o, 137m; displacements, 190t; excis., 137i, v, 146o; fibroma, 42b, 138t, 137u; fibromyoma, 100u; hemorrh., 26k, 107a, 110t, 190-1; hydatiform mole, 93m; inflamm., 138b; innerv., 19w; inversion, 98u, 138d; myoma, 40t, 75i; roent., 37r; rupture, 50n, 137b; tum., 85p, 138d
- UVEA, dis., 158i
- UVEOPAROTID FEVER, 94u
- VACCINE THERAPY, 149v
- VACCINES, 179c
- VAGINA, abnorm., 137w; absence, 102k; anat. & histol., 9a; artificial, 20b; bacteriol., 106k; dis., 137a; for. bod., 26f, 139i; mucosa, 138s
- VALERIAN, 161u
- VANADIUM AND VANADIUM COMPOUNDS, 185p
- VARICOSE VEINS, 150a, 199a, 208f; etiol. & pathogen., 108h; ther., 43f, 103h, 200s
- VASOMOTOR SYSTEM, 53-1; dis., 145a; eff. of drugs on, 60r, 145w; physiol., 60d, 107h, 112d, 149a, 193k
- VATER'S AMPULLA, can., 40r, 43v
- VEGETABLES, 87k, p; vitamin content, 87-1, n, q
- VEINS, dis., 24p; hepatic, 201v; jugular, 159i; saphenous, 76b
- VENAE CAVAE, occlusion, 50f
- VENEREAL DISEASES, 71e; clinics, 38-1; epidemiol. & statist., 71m; prev. & control, 17p, 113r, 128o, r, s, t, 145-1, 150f, 151v, 152a, 152a, b, c, d; ther., 38a
- VERRUCA, 105k; ther., 38h, 165-1
- VERTEBRATES, 10f
- VERTICILLIUM, 57q
- VERTIGO, aural, 38a, 65a, 166f
- VETERANS, disabilities, 203c; rehabilitation, 165u
- VETERANS ADMINISTRATION (U. S.), 151, 49h, 52d, f, 101m
- VETERINARY MEDICINE, 801, o, p, q, s, 124f, 171d, i, 175v; in Egypt, 175-1; in Gt. Britain, 175k; in Korea, 150d; in U.S.S.R., 80h; teaching, 160d
- VIBRATION, 168r
- VIBRATORS, 58v
- VIOFORM, 40u
- VIRUSES, 11t, 124f, 154w, 178i; dis., 46k, 58j, 59w, 175w
- VISCERA, can., 160r, s; pain, 103p, 199i; transposition, 143g; tum., 72r
- VISCOSITY, 1u; measurement, 58v
- VISION, 65k, 210j; acuity, 65-1; colored, 57-1; conservation, 65k, 210s, t; defective, 36h, 55s, 118j, 149-1, 210n; physiol., 62u, 69c, 206p, 210-1; stereoscopic, 64e, 210q; tests, 63t
- VITAL CAPACITY, 31e, 118u, 119b
- VITAL STATISTICS, 163k; in Puerto Rico, 208f; in Virgin Islands, 208g; mortal., 45i, 51v
- VITAMINS, 15p, 70h, 144m, 207q; A, 46s, 50i, 135k, 146s, 147d, 173b, c, 174g, 181e, 185-1; B, 3c, 4h, 84o, 105i, 140n, 154p, 173s, 193n; C, 23k, 56p, 91b, 146u, 146s, 147d, 211w; E, 3c, 39g, 86o, 199d, g; eff., 1v; K, 18i, 54e, 84d, 99j; ther., 73-1
- VITILIGO, in inf. & child., 212j
- VIVISECTION, 33b, 59g
- VOCATION, 101-1, 163b, i; choice, 122k; tests, 14b, 22i, 122m, n, o
- VOMITING, in inf. & child., 93-1
- VORTICELLA, 56s
- VULVA, 190p; abnorm., 137w; can., 190o; dis., 137a; tum., 78n
- WAGNER, RICHARD, 38g
- WAR, 11h, 138m; dis., 113u, 136b, 138m, 150q, r, s, t, u, v, w, 167b, 195j; medical service, 114a, 150h, 152h, j, k, l, m, n, p, s, v, 153a, e, n, s; nutrition & food supply, 51e, 150q, s, 153k, l; prison & internment camps, 143s, 152n, p, s, 153g, h, i, k, l; psychol. & psychiat. aspects, 61f, 92e, 153q, 157g; wds. & inj., 127p, r, 151c, f, g, h, i, j, k, n, 167b, c, d, i, h, k
- WASSERMANN REACTION, 92n
- WATER, 4k; chem., 56d, 142n; metab., 3e, 58d, 109f, 165o; pollution, 20e, 93n, 107o, 163f; refractive index, 62w; supply, 14i, 71h, 206q, 216t, u; surface phenomena, 57m
- WATSON, JOHN R., 196p
- WAX, 9q, 132o
- WEEPING, 209w
- WETTING AGENTS, 134g, 161p
- WHEY, 173r, 216c
- WHOOPING COUGH, antiserum, 178o; bacilli, 178n; imm., 66-1, 178q; prev., 206o; ther., 148p, 200o, 211w; vaccines, 123e
- WITCHCRAFT, 70w
- WOOD, 185q; hydrogenation, 183t
- WORKMEN'S COMPENSATION AND INSURANCE, 149c
- WORLD FEDERATION OF SCIENTIFIC WORKERS, 57b
- WOUNDS, gunshot, 92h, 167i, k, m, q, r, s, t, u; infection, 55j, 73s, 204f; roent., 36v; ther., 39p, 126i, 145g, 151c, 175r
- WOUNDED AND SICK, care, 153d; transportation, 150k, 152m, 153b, c
- XANTHINES, eff., 90r
- XANTHOMA, 63q
- YEAST, 9w, 56s, 58n, 69h, 130e, 214q, u; action, 69o; extracts, 56g; irradiated, 69f; nitrogen content, 58n
- YOHIMBINE, 184k; dehydrogenation, 184i
- YOBYRINE, synthesis, 184k
- YOBYRONE, synthesis, 184k
- YTTRIUM, 54o
- ZIRCONIUM, oxide, 186p
- ZOOLOGY, research, 154m
- ZYGOMA, roent., 72e

,147d,  
,84d,

,221,

7a;

u,v,  
,k,l,  
51e,  
e,  
ects,  
h,l,

index,  
om-

n;  
o,

s,

m,  
51c,

150k,

56n